



B I K E 0 5





GENIUS RC LTD FRAME SET

CR1 LTD carbon technology	2130 gr	4.68 lbs
SCAN 2 aluminium swingarm		
available in RC 10 color	V-brake or disc version	

Made of advanced CR1 LTD carbon, scan 2 aluminium, the RC limited is the ultimate statement in lightweight full-suspension bikes, weighing an amazing 10.33 kilos (22.6 lbs). With a weight similar to many hardtails, three shock settings and short wheelbase, this is truly a dream machine for those that desire the very best.

GENIUS RC LIMITED

XC racing	carbon mainframe	10.3 kg (22.6 lbs)	
travel front 100mm, rear 90mm with traction mode and lockout			

The new CR1 LTD carbon frame sets the standard for performance and weight at an incredibly light 1590 grams (3.5 lbs for frame and swing-arm). The carbon frame provides very precise steering and handling yet is super-smooth over the bumps. Developed with Thomas Frisch-

knecht and the Swiss power team, the bike features a long top tube, short wheelbase and a steep headtube angle for the ultimate control in handling and climbing.



The Genius **MSD monochoque-style rear dropout** has three times the stiffness-to-weight ratio when compared to conventional dropouts. Our engineers sweat the details to ensure you have the lightest, most durable, and best shifting bicycle in the world.

GENIUS RC 10

XC racing	carbon mainframe	11 kg [24.2 lbs]	
travel front 100mm, rear 90mm with traction mode and lockout			



THOMAS FRISCHKNECHT



GENIUS RC 20

XC racing	carbon mainframe	11.4 kg [25 lbs]
travel front 100mm, rear 90mm with traction mode and lockout		



GENIUS RC 30

XC racing	12.2 kg [26.84 lbs]
travel front 100mm, rear 90mm with traction mode and lockout	

GENIUS MC



GENIUS MC LTD FRAME SET		
CR1 LTD carbon technology	2250 gr	4.95 lbs
X3 aluminium swingarm	available in MC 10 color	



GENIUS MC LIMITED	marathon & touring	carbon mainframe	11.5 kg (25.3 lbs)	
	travel front 90-130mm adj, rear: 125mm with traction mode and lockout			


**2003 MARATHON
WORLD
CHAMPION**



When we designed the Genius MC, we knew Thomas planned to battle for the first Marathon World Champion in Lugano Switzerland in 2003. With this goal in mind, our engineers began with the Genius RC platform and modified the geometry for more comfort for the all-day long distances of marathon racing. We then increased the travel to 125 mm (5 inches), allowing higher descending speeds in the world-famous Swiss Alps. Finally, a new Traction Control shock was developed for the increased travel required; with a Traction Control setting at approximately 80 mm of travel. This TC setting allows excellent traction in the climbs without the bobbing found in many progressive suspension designs. With our intelligent linkage system (ILS), we have a bike that could adjust to any situation and provide the maximum speed, comfort and control. The result of this extensive engineering and testing is the Genius MC (Marathon Concept) full-suspension design.

GENIUS MC 10

marathon & touring	carbon mainframe	11.9 kg (26.18 lbs)	
travel front 90-130mm adj, rear 125mm with traction mode and lockout			



FRISCHKI' VICTORY, LUGANO 2003

A long and intensive prototyping and testing phase resulted in slight adjustments and fine tuning of the machine, maximizing the performance of the bicycle. Thomas began to measure his performance and began to record faster segment splits on the Genius MC on the Marathon course, due in large part to his increased speeds in the downhill sections of the course.

Finally the moment of truth: an unforgettable day for Thomas Frischknecht, his crew, and the engineers of Scott — Thomas crossed the finish line in First Place to become the first Marathon World Champion of mountain bike history, riding a Genius MC.



GENIUS MC 20	marathon & touring	carbon mainframe	12.4 kg (27.28 lbs)	
	travel front 90-130mm adj, rear 125mm with traction mode and lockout			





HOLGER MEYER



GENIUS MC 30

marathon & touring	travel front 90-130 mm adj, rear 125 mm with traction mode and lockout	
12.5 kg (27.5 lbs)		



GENIUS MC 40

marathon & touring	travel front 60-120mm adj,
rear 125mm with traction mode and lockout	12.7 kg (27.94 lbs)

GENIUS MC 50

marathon & touring	travel front 90-120mm adj,
rear 125mm with traction mode and lockout	13.1 kg (28.82 lbs)



SCALE LTD FRAME SET

CR1 LTD carbon technology	970 gr	2.13 lbs
available in Scale 10 color	V-brake or disc version	


SCALE LIMITED

XC racing	the lightest carbon frame	travel front 80mm	8.8 kg (19.3 lbs)	
-----------	---------------------------	-------------------	-------------------	--



With our unique CR1 process, we pretension the carbon fibres under pressure, this results in a very strong and responsive frame design. As the fibres are optimized and extremely strong and efficient we are able to use less materials than other carbon frame makers. The result is a 970 gram (2.13 lbs) frame that sets the new standard in advanced technology and performance in hartail design.


Scott's exclusive 34.9 mm **oversized seatpost** benefits the riding characteristics of the frame. It increases torsional stiffness while pedalling in the saddle by more than four percent. It also creates a stiffer seatpost since oversized tubes are more rigid. The larger intersection between the seat tube to top tube and seat tube to down tube allows us to remove material and weight from the tubes, thus reducing the frame's overall weight compared to traditional, smaller seat tube designs.



SCALE 10	XC racing	the lightest carbon frame	travel front 80 mm	
	9.7 kg [21.34 lbs]			



FOLLOW ME!



The 2005 CR1 Scale will enable Frischi to scale the mountains in Athens faster than any conventional carbon or advanced aluminum frame. The Scale features aggressive geometry with a short overall wheel base, and a long top tube that allows Thomas to corner as quickly and accelerate up the steep climbs with the most efficient hardtail we have ever produced.



SCALE 20

XC racing	the lightest carbon frame	travel front 80mm	
10.2 kg (22.44 lbs)			



SCALE 30

XC racing	the lightest carbon frame	travel front 80mm	
10.6 kg (23.32 lbs)			



	WEIGHT COMPARISON
Scale CR1 Carbon Limited	
Scale CR1 Carbon	
Scott Aluminium 7005 T6 AL1	
Scott Aluminium 7005 T6 AL2	
Scott Aluminium 7005 T6 AL3	
Standard 7005 Aluminium	
Standard Aluminium	



SCALE 40

XC racing & touring	ultra stiff frame with hydro-formed toptube
travel front 80mm	11.7 kg (25.74 lbs)



SCALE 50

XC racing & touring	ultra stiff frame with hydro-formed toptube	
travel front 80mm	12.7 kg (27.94 lbs)	

SCALE 60

XC racing & touring	ultra stiff frame with hydro-formed toptube	
travel front 80mm	12.9 kg (28.38 lbs)	

HIGH OCTANE



CARMINE FALCO

The High Octane is quite possibly the world's most adjustable downhill bike. It can be adapted to suit any rider in any conditions on the planet. Change your bottom bracket height or rear suspension travel to improve cornering and pedaling efficiency. Adjust the headtube angle or seat tube angle for steeps and optimum body position. Whatever you need to create the fastest downhill run or an epic freeride session, the High Octane combines all the key ingredients for success. With as much as 240 mm of travel, this rig can handle the highest speeds, biggest hits, and most technical lines.

HIGH OCTANE 1

downhill	adjustable rear travel 180-240 mm	front travel 203 mm	
----------	-----------------------------------	---------------------	--




CARMINE FALCO



HIGH OCTANE 2	downhill & freeride	adjustable rear travel 180-240 mm	front travel 170mm	double chainring
----------------------	---------------------	-----------------------------------	--------------------	------------------

NITROUS



The **Manitou Swinger 4-way shock** with advanced SPV technology is light and reduces bobbing, translating to better pedalling efficiency. The travel can be adjusted to either 150 mm or 170 mm of total travel.

NITROUS SL 11	longtravel freeride & touring	adjustable rear travel 150 or 170 mm	
	adjustable front travel 30-145 mm	14.3 kg (31.5 lbs)	



CARMINE FALCO & YOANN PACCARD



NIXON FORK [NITROUS SL 11]



So, you like to climb, but XC bikes don't provide the geometry or ability to handle a mean downhill. The Nitrous line has you covered. These lightweight, long-travel bikes allow riders to earn their downhills. Coming in at 14.3 kg (31.5 lbs), the Nitrous SL11 is a freerider's weapon of choice. Put it in the granny gear and climb your favorite mountain. Turn around, drop the seat and hit speeds that would peel the paint off your XC bike. You can adjust the rear suspension travel from 150 mm to 170 mm to accommodate varying conditions. This little brother to the High Octane should be re-named «versatility» because that's what it provides.



NITROUS SL 22	longtravel freeride & touring	adjustable rear travel 150 or 170 mm	
	adjustable front travel 60-150mm	15 kg (33 lbs)	



We use heat treated, light weight aircraft quality aluminium tubing. The shape and design of the tube is optimised for maximum strength and minimal weight.

CARMINE FALCO



NITROUS 10

freeride	adjustable rear travel 150 or 170 mm		
	adjustable front travel 140-170 mm	8" rotors	17.4kg (38.3 lbs)

NITROUS 20

freeride	adjustable rear travel 150 or 170 mm		
	adjustable front travel 60-150 mm	8" rotors	17.2kg (38 lbs)



CARMINE FALCO



OVERSIZED HEAD TUBE



NITROUS 30

freeride	adjustable rear travel 150 or 170mm	front travel 150mm
8" rotors	16.7kg (36.8 lbs)	



PHIL MEIER & CARMINE FALCO



CARMINE FALCO & PHILIPPE MEIER




PHILIPPE MEIER



G-ZERO FX	freeride & touring	adjustable rear travel 100 or 120 mm	
	adjustable front travel 70-100 mm	14.7kg (32.4 lbs)	


PERFORMANCE

**BOULDER**

all-round	hydro-formed frame	80mm front travel with TPC lockout	
shimano XT/LX	27 speed		



INDONESIA




The Performance series – with its lineup of mountain hardtails – is designed for comfort and smooth-handling during those fast climbs and descents. The Reflex geometry provides a stable and responsive ride with a performance edge, perfect for day-long riding in all kinds of trail conditions. Quality components such as riser bars, higher-rise stems, comfortable seats and grips, and carefully selected shifting and braking components create outstanding performance.

The aluminium frames are lightweight and top quality. The custom-tapered racing stays provide superior frame strength and enable efficient, direct power transfer. The new high-tech hydro-formed frontend allows precise steering and control.




ASPEN	all-round	hydro-formed frame	80 mm front travel with FFD hydraulic damping
	shimano LX/deore	27 speed	



DISCHUB
VERSION AVAILABLE

TAMPICO	all-round	hydro-formed frame	shimano deore	27 speed	
	80 mm front travel with FFD hydraulic damping				



DISC
VERSION AVAILABLE



YECORA

all-round	hydro-formed frame	shimano deore/alivio	27 speed	
80mm front travel with FFD hydraulic damping				



MONTANA

all-round	hydro-formed frame	75mm front travel		
shimano alivio/acera		27 speed		

contessa



GENIUS CONTESSA


XC racing and touring	solution geometry	12.3 kg (27 lbs)	
travel front 100mm, rear 90mm with traction mode and lockout			



HANDELBAR LEVER

«I want a high-performance bike, with the proper fit for a woman's body, so I can ride faster and more comfortably on long rides. I want a bike that is aggressive yet feminine - the Contessa is the bike built just for me.»

All the Genius series bikes benefit from suspension options made for better climbing. World Champion T



CONTESSA 10

all-round and racing

women specific

frame with hydro-formed toptube

solution geometry

travel front 80mm with TPC lockout



KAREN ELLER




CONTESSA 20

all-round	women specific	frame with hydro-formed toptube
solution geometry	travel front 80mm with FFD hydra. damping	

CONTESSA 30

all-round	women specific	frame with hydro-formed toptube
solution geometry	travel front 80mm with FFD hydra. damping	




CONTESSA 40

all-round	women specific	frame with hydro-formed toptube
solution geometry	travel front 75mm	

CONTESSA 50


all-round	women specific	frame with hydro-formed toptube
solution geometry	travel front 60mm	



Freestyle champion Timo Pritzel's personal preference. The high quality **chain guide** keeps the chain in place under the most extreme and demanding conditions.

VOLTAGE YZ 0 LIMITED

dirt-jump & urban	super stiff frame	110mm front travel	
Timo's signature bike			



For big drops and hard landings, this **oversized chainstay** is overbuilt to withstand severe punishment.




DISC
VERSION AVAILABLE

VOLTAGE YZ 0

dirt jump & urban	super stiff frame	shimano disc brake
100 mm front travel with hydraulic damping		

VOLTAGE YZ 1

dirt jump & urban	super stiff frame	75 mm front travel
shimano alivio	24 speed	



TIMO PRITZEL



DISC
VERSION AVAILABLE

VOLTAGE YZ 2

dirt jump & urban	super stiff frame	75 mm front travel
shimano acera	24 speed	



DISC
VERSION AVAILABLE



VOLTAGE YZ 3

dirt jump & urban	super stiff frame	75 mm front travel
shimano altus	24 speed	

VOLTAGE YZ 4

dirt jump & urban	super stiff frame	75 mm front travel
shimano altus/TY-40	21 speed	


RC



	GENIUS RC LIMITED	GENIUS RC 10	GENIUS RC 20	GENIUS RC 30
frame	Scott Carbon Mainframe with CR1 LTD technology/ultra light alloy 7005 SCAN2 swingarm/XC world cup geometry/90mm rear travel with traction mode option/sealed cartridge bearings	Scott Carbon Mainframe with CR1 technology / ultra light alloy 7005 custom butted swingarm/XC world cup geometry/90mm rear travel with traction mode option/sealed cartridge bearings	Scott Carbon Mainframe with CR1 technology/ultra light alloy 7005 double butted swingarm/XC world cup geometry/90mm rear travel with traction mode option/sealed cartridge bearings	Scott ultra light alloy 7005 custom butted mainframe/double butted swingarm/XC world cup geometry/90mm rear travel with traction mode option/sealed cartridge bearings
fork/shock	Fox Fox FX100 Terra Logic Threshold A/ reb. A. 100mm Rear: Genius TC EVO 1 remote lever 3 mode	Fox Fox FX100 Terra Logic Threshold A/ reb. A. 100mm Rear: Genius TC EVO 1 remote lever 3 mode	Fox Fox FRL100 Lockout/reb. A. 100mm Rear: Genius TC EVO 1 remote lever 3 mode	Rock Shox Reba SL/Air Motion Control/lockout reb. Adj. 100mm Rear: genius TC EVO 1 remote lever 3 mode
rear der	Shimano XTR 27 Speed	Shimano XTR 27 Speed	Shimano XTR 27 Speed	Shimano XT 27 Speed
front der	Shimano XTR / E-Type	Shimano XTR / E-Type	Shimano XT / E-Type	Shimano LX / E-Type
shifters	Shimano XTR Dual Control	Shimano XTR Dual Control	Shimano XT Dual Control	Shimano LX 580 Dual Control
brakes	Avid Single Digit Ultimate with green pads	Shimano XTR Disc 160mm Rotor F+R	Shimano XT Disc 160mm rotor F+R	Shimano LX 580 Disc 160mm rotor F+R
crankset	FSA Carbon 22x32x44 T	Shimano XTR hollowtech 22x32x44 T	Shimano XT hollowtech 22x32x44 T	Shimano LX hollowtech 22x32x44 T
handlebar	Ritchey WCS carbon Flat / 580mm	Ritchey WCS Carbon Flat 580mm	Scott Pilot Hot Rod 580 mm	Scott Pilot X-Rod 580 mm
h'stem	Ritchey WCS 1-1/8"/13° rise	Ritchey WCS 1-1/8"/6° rise	Scott Pro 4 Bolt 1-1/8"/6° rise	Scott Comp 4 Bolt 1-1/8"/6° rise
pedal	Crankbrother Egg Beater 3 / Ti-Clipless Pedal	Shimano PD-M540 Clipless Pedal	Shimano PDM-520 Clipless Pedal	Shimano PD-M520 Clipless Pedal
seatpost	Ritchey WCS Carbon	Ritchey WCS Carbon	Scott RC 1	Scott RC 1
seat	Selle Italy SLR Kit carbonio	Selle Italy SLR XP Kevlar	Selle Italy SLR XP Kevlar	Scott Racing
hubs	F: DT Swiss 240 S 24 H R: DT Swiss 240 S 28 H	F: DT Swiss 240 S Disc R: DT Swiss 240 S Disc	F: DT Swiss Disc center lock R: DT Swiss Disc center lock	F: Shimano LX center lock R: Shimano LX center lock
cassette	Shimano XTR 11-32 T	Shimano XTR 11-32 T	Shimano XT 11-32 T	Shimano LX 11-32 T
spokes	DT aerolite Black	DT new aero	DT new aero black	DT black
rim	DT Swiss F:24H and R:28H, ceramic sidewalls	Sun DS1 28H Black adonized	Sun DS-2-XC 28H Black Anodized	Alesa 32H Black Anodized
tires	Scott Manx 26 x 2.0 Kevlar Bead 127TPI super light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound

ENDURANCE

	GENIUS MC LIMITED	GENIUS MC 10	GENIUS MC 20	GENIUS MC 30	GENIUS MC 40	GENIUS MC 50
frame	Scott Carbon Mainframe with CR1 LTD technology/ultra light alloy 6061 X3 EVO custom butted swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings	Scott Carbon Mainframe with CR1 technology/ultra light alloy 6061 double butted swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings	Scott Carbon Mainframe with CR1 technology/ultra light alloy 6061 double butted swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings	Scott ultra light alloy 6061 custom butted mainframe and swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings	Scott ultra light alloy 6061 custom butted mainframe and swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings	Scott ultra light alloy 6061 double butted mainframe and swingarm/Marathon racing geometry/125mm rear travel with traction mode option/sealed cartridge bearings
fork/shock	Fox Forx Talas RLC Travel adj./reb. A. 130mm Rear: Genius TC EVO 1 remote lever 3 mode	Fox Forx Talas RL Travel adj./reb. A. 130mm Rear: Genius TC EVO 1 remote lever 3 mode	Fox Forx Talas RL Trav. adj./reb. A. 130mm Rear: Genius TC EVO 1 remote lever 3 mode	Fox Forx Talas RL Trav. adj./reb. A. 130mm Rear: Genius TC EVO 1 remote lever 3 mode	Marzocchi MX Pro travel 120mm/ETA/reb. A Rear: Genius TC EVO 1 remote lever 3 mode	Manitou Black Super winddown / Lockout / reb. Adj. 120mm Rear: Genius TC EVO remote lever 3 mode
rear der	Shimano XTR 27 Speed	Shimano XTR 27 Speed	Shimano XT 27 Speed	Shimano XTR 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed
front der	Shimano XTR / E-Type	Shimano XT / E-Type	Shimano LX / E-Type	Shimano XT / E-Type	Shimano LX / E-Type	Shimano LX / E-Type
shifters	Shimano XTR Dual Control	Shimano XTR Dual Control	Shimano XT Dual Control	Shimano XT Dual Control	Shimano LX Dual Control	Shimano Deore RF-fire SL
brakes	Shimano XTR Disc 160mm rotor F+R	Shimano XTR Disc 160mm rotor F+R	Shimano XT Disc 160mm rotor F+R	Shimano XT Disc 160mm rotor F+R	Shimano LX 580 Disc 160mm rotor F+R	Shimano Deore RT-62 rotor F+R / 160mm
crankset	Shimano XTR hollowtech 22x32x44 T	Shimano XT hollowtech 22x32x44 T	Shimano LX 580 22x32x44 T	Shimano XT hollowtech 22x32x44 T	Shimano LX 580 22x32x44 T	Shimano FC-M540 22x32x44 T
handlebar	Ritchey WCS Carbon riser / 660 mm	Ritchey WCS Carbon riser 660 mm	Scott Pilot MC D.B. 12mm rise 600mm black	Scott Pilot MC D.B. 12mm rise 600mm black	Scott Pilot MC P.G. 12mm rise 600mm black	Scott Pilot MC P.G. 12mm rise 600mm black
h'stem	Ritchey WCS 1-1/8" / 6° rise	Scott Pro 31.8mm 4 Bolt Clamp 1-1/8"/6° rise	Scott Pro 31.8mm 4 Bolt Clamp 1-1/8"/7° rise	Scott Pro 31.8mm 4 Bolt Clamp 1-1/8"/7° rise	Scott Pro 31.8mm 4 Bolt Clamp 1-1/8"/7° rise	Scott Pro 31.8mm 4 Bolt Clamp 1-1/8"/7° rise
pedal	Shimano PDM-540 Clipless Pedal	Shimano PD-M540 Clipless Pedal	Shimano PD-M520 Clipless Pedal	Shimano PD-M520 Clipless Pedal	Shimano PD-M520 Clipless Pedal	Shimano PD-M520 Clipless Pedal
seatpost	Ritchey WCS Carbon	Scott RC 2 OS	Scott RC 2 OS	Scott RC 2 OS	Scott RC 2 OS	Scott RC 2 OS
seat	Selle Italy SLR XP Kevlar	Selle Italy SLR XP Kevlar	Scott Endurance	Scott Endurance	Scott Endurance	Scott Endurance
hubs	F: Mavic Cross Max SL / CL R: Mavic Cross Max SL / CL	F: DT Swiss Disc center lock R: DT Swiss Disc center lock	F: DT Swiss Disc center lock R: DT Swiss Disc center lock	F: Shimano XT Disc center lock R: Shimano XT Disc center lock	F: Shimano LX Disc center lock R: Shimano LX Disc center lock	F: Shimano LX Disc centerlock R: Shimano LX Disc centerlock
cassette	Shimano XTR 11-32 T	Shimano XT 11-32 T	Shimano XT 11-32 T	Shimano XT 11-32 T	Shimano LX 11-32 T	Shimano LX 11-32 T
spokes	Mavic Cross Max SL	DT new Aero	DT new Aero	DT black	DT black	DT black
ribs	Mavic Cross Max SL	Sun DS-2 28H Black Anodized	Sun DS-2 28H Black Anodized	Sun DS-2 32H Black anodized	Sun DS-2 32H Black anodized	Alesa Taurus 2000 Disc W/Eyelet Black
tires	Scott Cougar UST 26 x 2.25 Kevlar Bead 127TPI super light compound	Scott Cougar 26 x 2.25 Kevlar Bead 127TPI light compound	Scott Cougar 26 x 2.25 Kevlar Bead 127TPI light compound	Scott Cougar 26 x 2.25 Kevlar Bead 127TPI light compound	Scott Cougar 26 x 2.25 Kevlar Bead 127TPI light compound	Scott Cougar 26 x 2.25 Kevlar Bead 127TPI light compound





SCALE

	SCALE LIMITED	SCALE 10	SCALE 20	SCALE 30	SCALE 40	SCALE 50	SCALE 60
frame	Scott Carbon frame with CR1 LTD technology developed without compromise/XC world cup racing geometry/SDS shock damping system/Ultra stiff dropout hanger for exact shifting performance	Scott Carbon frame with CR1 technology developed without compromise/XC world cup racing geometry/SDS shock damping system/Ultra stiff dropout hanger for exact shifting performance	Scott Carbon frame with CR1 technology developed without compromise/XC world cup racing geometry/SDS shock damping system/Ultra stiff dropout hanger for exact shifting performance	Scott Carbon frame with CR1 technology developed without compromise/XC world cup racing geometry/SDS shock damping system/Ultra stiff dropout hanger for exact shifting performance	Scott ultra light alloy 7005 AL 2 double butted frame/Box chainstay bridge/hydroform monocoque top tube to increase stiffness/scott custom disc dropout/XC world cup racing geometry	Scott ultra light alloy 7005 AL 2 double butted frame/Box chainstay bridge/hydroform monocoque top tube to increase stiffness/scott custom disc dropout/XC world cup racing geometry	Scott ultra light alloy 7005 AL 2 double butted frame/Box chainstay bridge/hydroform monocoque top tube to increase stiffness/scott custom disc dropout/XC world cup racing geometry
fork/shock	Rock Shox SID WC reb. adj / Lockout / 80mm carbon steer	Fox FX 80 reb. adj / Terra Logic 80 mm / Treshold	Fox F80FRL reb. adj / Lockout 80 mm	Fox F80FRL reb. adj / Lockout 80 mm	Manitou Black Elite Coil Spring, TPC Lockout 80 mm / reb. Adj.	Manitou Axel Comp Coil Spring, TPC Lockout 80 mm / reb. Adj.	Manitou Axel Comp Coil Spring, SVS Lockout 80 mm
rear der	Shimano XTR 27 Speed	Shimano XTR 27 Speed	Shimano XTR 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano LX 580 27 Speed	Shimano LX 580 27 Speed
front der	Shimano XTR	Shimano XTR	Shimano XT	Shimano LX	Shimano LX	Shimano Deore	Shimano Deore
shifters	Shimano XTR Dual Control	Shimano XTR Dual Control	Shimano XT Dual Control	Shimano LX 580 Dual Control	Shimano LX 580 Dual Control	Shimano Deore RF-fire SL	Shimano Deore RF-fire SL
brakes	Avid Single Digit Ultimate with green pads	Shimano XTR Disc 160mm rotor F+R	Shimano XT Disc 160mm rotor F+R	Shimano LX 580 Disc 160mm rotor F+R	Shimano LX 580 Disc 160mm rotor F+R	Shimano M 525 Disc 160mm rotor F+R	Avid single digit 5R 70mm cart. Pads
crankset	FSA Carbon 22x32x44 T	Shimano XTR hollowtech 22x32x44 T	Shimano XT hollowtech 22x32x44 T	Shimano LX hollowtech 22x32x44 T	Shimano LX FC-M 580 22x32x44 T	Shimano FC-M 470 hollowtech 22x32x44 T	Shimano FC-M 460 hollowtech 22x32x44 T
handlebar	Ritchey WCS Carbon Flat / 580 mm	Ritchey WCS Carbon Flat / 580 mm	Scott Pilot Hot Rod 580mm	Scott Pilot X-Rod 580mm	Scott Pilot X-Rod 580mm	Scott Pilot X-Rod 580mm	Scott Pilot X-Rod 580mm
h'stem	Ritchey WCS 1 - 1/8" / 6° rise	Ritchey WCS 1 - 1/8" 6° rise	Scott Pro 4 Bolt 1-1/8"/6° rise	Scott Pro 1-1/8"/6° rise	Scott Pro 1-1/8"/6° rise	Scott Comp 1-1/8"/6° rise	Scott Comp 1-1/8"/6° rise
pedal	Crankbrother Egg Beater 3 / Ti-Clipless Pedal	Shimano PD-M540 Clipless Pedal	Shimano PD-M520 Clipless pedal	Shimano PD-M520 Clipless pedal	Shimano PD-M520 Clipless pedal	Shimano PD-M520 Clipless pedal	Wellgo LU-998
seatpost	Ritchey WCS Carbon	Scott RC 2 OS	Scott RC 2 OS	Scott RC 2 OS	Scott Comp	Scott Elite	Scott Elite
seat	Selle Italy SLR Kit carbonio	Selle Italy SLR XP Kevlar	Selle Italy SLR XP Vanox	Scott Racing	Scott Racing	Scott Racing	Scott Racing
hubs	F: DT Swiss 240 S 24H R: DT Swiss 240 S 28H	F: DT Swiss 240 S Disc R: DT Swiss 240 S Disc	F: DT Swiss Disc center lock R: DT Swiss Disc center lock	F: Shimano LX center lock R: Shimano LX center lock	F: Shimano LX center lock R: Shimano LX center lock	F: Shimano 495 Disc center lock R: Shimano 495 Disc center lock	F: Scott Disc Comp R: Shimano 475 Disc
cassette	Shimano XTR 11-32 T	Shimano XTR 11-32 T	Shimano XT 11-32 T	Shimano LX 11-32 T	Shimano LX 11-32 T	Shimano Deore 11-32 T	Shimano Deore 11-32 T
spokes	DT aerolite Black	DT new aero	DT new aero black	DT black	DT black	DT black	DT black
rims	DT Swiss F:24H and R:28H, black with ceramic	Sun DS-1 28H Black Adonized	Sun DS-2 28H Black Adonized	Sun DS-2 32H Black Adonized	Alesa Taurus 2000 Disc W/Eyelet Black	Alesa Taurus 2000 Disc W/Eyelet black	Alesa Zac 19 32H W/Eyelet black
tires	Scott Manx 26 x 2.0 Kevlar Bead 127TPI super light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Scott Manx 26 x 2.0 Kevlar Bead 66TPI	Scott Manx 26 x 2.0 Kevlar Bead 66TPI	Scott Manx 26 x 2.0 Kevlar Bead 66TPI

PROGRESSIVE

	HIGH OCTANE 1	HIGH OCTANE 2	NITROUS SL 11	NITROUS SL 22	NITROUS 10	NITROUS 20	NITROUS 30	G-ZERO FX
frame	High Octane, Alloy 7005 DB DH geometry carbon subframe Adj. seatangle, headangle, BB high/DH geometry adj.htube 11/8 and 1.5" 180-240mm travel ISCG standart	High Octane, Alloy 7005 DB DH geometry carbon subframe Adj. seatangle, headangle, BB high/DH geometry adj.htube 11/8 and 1.5" 180-240mm travel ISCG standart	Scott Nitrous Alloy 7005 liteflite Freeride geometry Headtube 1.5" compatible 150/170mm travel ISCG standart	Scott Nitrous Alloy 7005 liteflite Freeride geometry Headtube 1.5" compatible 150/170mm travel ISCG standart	Scott Nitrous Alloy 7005 liteflite Freeride geometry Headtube 1.5" compatible 150/170mm travel ISCG standart	Scott Nitrous Alloy 7005 liteflite Freeride geometry Headtube 1.5" compatible 150/170mm travel ISCG standart	Scott Nitrous Alloy 7005 liteflite Freeride geometry Headtube 1.5" compatible 150/170mm travel ISCG standart	G-Zero FX Alloy 7005 ECO Alloy Swingarm 100-120mm
fork/shock	Rock Shox Boxxer Team 203mm, R, adj. 20mm axle Fox DHX 4.0 w/adj pro pedal Reb. Adj.	Manitou Stance Kingping Air PL/R, TPC, 170mm 20mm axle Manitou Metel RP Coil, Reb adj. Preload	Manitou Nixon Super remote travel adj. 30-145mm Air, R/TPC Manitou Swinger Air SPV 4-Way	Marzocchi All Mountain 3 150mm ETA travel adj Air, R/C/SSV Manitou Swinger Air SPV 3-Way	Manitou Sherman Breakout plus 1.5", 20mm axle R/TPC, adj. 130-170mm Fox DHX 4.0 w/adj pro pedal Reb. Adj.	Marzocchi Z1 FR3 R/travel adj ETA, 20mm axle Manitou Metel RP Coil, Reb adj. Preload	Manitou Stance Blunt 150mm coil, R/ Manitou Metel RP Coil, Reb adj. Preload	Manitou Axle Super RTDW 90-120mm coil, R/travel adj, X-Fusion Glyde Super
rear der	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano LX 27 Speed	Shimano Deore 27 Speed
front der	FSA Chain Guide	Shimano Deore	Shimano Deore XT	Shimano Deore	Shimano Deore XT	Shimano Deore	Shimano Deore	Shimano LX / E-Type
shifters	Shimano LX RF-fire	Shimano Deore RF-fire	Shimano XT RF-fire SL	Shimano Deore RF-fire SL	Shimano LX RF-fire SL	Shimano Deore RF-fire SL	Shimano Deore RF-fire SL	Shimano Deore RF-fire SL
brakes	Hayes El Camino Disc 205mm rotor F+R	Hayes HFX-9 HD Disc 205mm F and R rotor	Shimano XT Disc 203mm rotor F and 160mm rotor R	Shimano M 525 Disc 203mm rotor F and 160mm rotor R	Hayes HFX MAG HD Disc 205mm rotor F+R	Hayes HFX-9 HD Disc 205mm rotor F+R	Hayes HFX-9 HD Disc 205mm rotor F+ R	Hayes HMX-1 mechanical disc brake 205mm rotor front and 160mm rotor rear
crankset	Race Face Diabolus DH 44T sing, chainring/bash-guard, FSA ChainPimp	Race Face Evolve DH 32x22 T chainring/ bashguard	Shimano XT 27 Speed hollowtech 2, 22x32x44 T	Shimano LX hollowtech 2 22x32x44 T	Shimano XT 27 Speed hollowtech 2, 22x32x44 T	Shimano 540 hollowtech 2 22x32x44 T	Shimano FC-M 445 22x32x44 T	Shimano FC-MC20-L, black, 22x32x42 T
handlebar	Scott Pilot FR Pro D.B. mid rise 680mm black	Scott Pilot FR Pro P.G. mid rise 680mm black	Scott Pilot FR Pro D.B. mid rise, 660mm black	Scott Pilot FR Pro D.B. mid rise 660mm black	Scott Pilot FR Pro D.B. mid rise, 660mm black	Scott Pilot FR Comp P.G. mid rise 660mm black	Scott Pilot FR Comp P.G. mid rise, 660mm black	Scott Pilot Comp 1.5 P.G. mid rise 640mm black
h'stem	Race Face Diabolous	Scott Pilote FR 6° rise	Scott Pilote FR 6° rise	Scott Pilote FR, 6° rise	Scott FR 1.5" 6° rise	Scott Pilote FR, 6° rise	Scott Pilote FR 6° rise	HL TDS-C41-8 Ahead D.B. Clamp, black 1-1/8" / 15° rise
pedal	Shimano PD-M545 Clipless Pedal	LU-987 SCT BMX type	Shimano PD-M424 Clipless pedal	LU-987 SCT BMX type	LU-996 SCT BMX type			
seatpost	Scott Comp	Scott Comp	Scott RC 02	Scott RC 02	Scott Pilot FR (telescope)	Scott Pilot FR (telescope)	Scott Pilot FR (telescope)	Lee Chi SP-214
seat	Scott DH	Scott DH	Scott Progressive Pro Cr-mo	Scott Progressive	Scott Progressive	Scott Progressive	Scott Progressive	Scott Progressive
hubs	F: KT DH 20mm axle 32H R: Shimano M-525 / 32H	F: KT DH 20mm axle 32H R: Shimano M-475 / 32H	F: Shimano XT center lock R: Shimano XT center lock	F: Shimano LX center lock silver R: Shimano LX center lock silver	F: KT DH 20mm axle 32H R: Shimano M-525 / 32H	F: KT DH 20mm axle 32H R: Shimano M-525 / 32H	F: Scott Comp / 32H R: Shimano M-475 / 32H	F: Scott Comp / 32H R: Shimano M-475 / 32H
cassette	Shimano LX 11-32 T	Shimano Deore 11-32 T	Shimano XT 11-32 T	Shimano Deore 11-32 T	Shimano LX 11-32 T	Shimano Deore 11-32 T	Shimano Deore 11-32 T	Shimano CS-HG50-9 11-30 T
spokes	DT black	DT black	DT black	DT black	DT black	DT black	DT black	DT black
ribs	Sun Doubletrack welded	Scott Alex BH disc only	Alex FD-28 D-Wall single eyelets	Alex DP 20 D-Wall, single eyelets	Sun Single Track SL-1 D-Wall, single eyelets	Alex DP 20 D-Wall, single eyelets	Alex DP20 D-Wall, single eyelets	Alesa Taurus 2000 Disc D-Wall, single eyelets
tires	Maxxis Minion DH F+R 26 x 2.5/2.7 Wire Bead 60TPI	Maxxis Minion DH R+F 26 x 2.5 Wire Bead 60TPI	Scott Nitrous 26 x 2.35 Kevlar Bead 66TPI	Scott Nitrous 26 x 2.35 Kevlar Bead 66TPI	Scott Nitrous MX 26 x 2.35 Kevlar Bead 3M Casing	Scott Nitrous 26 x 2.35 Kevlar Bead 37TPI	Scott Nitrous 26 x 2.35 Wire Bead 37TPI	Scott Cougar 26 x 2.25 Wire Bead 37TPI






PERFORMANCE

	BOULDER	ASPEN	TAMPICO	TAMPICO DISC HUB	YECORA	YECORA DISC	MONTANA
frame	Hydraformed front section Tapered rearstays 6061 alloy Disc dropout Kickstand adapter						
fork/shock	Manitou Axel Comp TPC Lockout , reb. adj. 80 mm / Adj nobs	Manitou Axel Comp hydraulic damping 80 mm / preload adj	Manitou Axel Comp hydraulic damping 80 mm / preload adj	Manitou Axel Comp hydraulic damping 80 mm / preload adj	Manitou Axel Comp hydraulic damping 80 mm / preload adj	Manitou Axel Comp hydraulic damping 80 mm / preload adj	Suntour XC-60 80mm / preload adj.
rear der	Shimano Deore XT 27 Speed	Shimano Deore LX-570 27 Speed	Shimano Deore 27 Speed	Shimano Deore 27 Speed	Shimano Deore 24 Speed	Shimano Deore 24 Speed	Shimano Alivio, black 24 Speed
front der	Shimano LX FD-580	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Acera
shifters	Shimano LX-580 Dual Control	Shimano Deore Rapidfire	Shimano Deore Rapidfire	Shimano Deore Rapidfire	Shimano Alivio Rapidfire	Shimano Alivio Rapidfire	Shimano Acera EZ-fire plus
brakes	Avid single digit 5R 70mm cart. Pads	Scott Comp	Scott Comp	Scott Comp	Scott Comp	Shimano BR-M465 mechanical	Scott Comp
crankset	Shimano LX FC-M580 22x32x44 T	Shimano Deore FC-M460 holo. black 22x32x44 T, alloy	Shimano FC-M440-L, black 22x32x44 T	Shimano FC-M440-L, black 22x32x44 T	Shimano Alivio black, 24x34x42 T	Shimano Alivio black, 24x34x42 T	Shimano Alivio black 24x34x42 T, alloy
handlebar	Scott Pilot Comp 1 600mm, black	HL MTB-152 / Hi-Ten Uprise 600mm 20mmRise					
h'stem	Scott Comp 1-1/8" / 10° rise	Scott Comp 1-1/8" / 10° rise	Scott Elite 1-1/8" / 10° rise	Scott Elite 1-1/8" / 10° rise	HL-TDS-C41-8 Ahead D.B.-Clamp, black 1-1/8" / 15° rise	HL-TDS-C41-8 Ahead D.B.-Clamp, black 1-1/8" / 15° rise	HL-TDS-C41-8 Ahead D.B.-Clamp, black 1-1/8" / 15° rise
pedal	LU-998-S						
seatpost	Scott Comp	Scott Comp	Scott Elite				
seat	Scott Performance						
hubs	F: Formula CO-31 R: Shimano FH-510	F: Formula CO-31 R: Shimano Deore	F: Formula CO-31 R: Shimano FH-475-L	F:Disc Hub: Formula DC-20 R:Disc Hub: Shimano FH-475-L	F: Formula CO-31 R: Shimano Alivio	F:Disc: Shimano HB-M495-L R:Disc: Shimano FH-M495-L	F: FM-31 Alloy / Alloy QR R: Shimano FH-RM 30
cassette	Shimano LX 11-32 T	Shimano Deore 11-32 T	Shimano Deore 11-32 T	Shimano Deore 11-32 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T
spokes	DT Swiss Champion black	14 G, stainless	14 G, stainless	14 G, stainless			
ribs	Alesa ZAC-19 Alloy black, D- Wall,UP sidewall	Alesa ZAC-19 Alloy black D-Wall, UP sidewall	Alex DM-18 D-Wall, CNC sidewall, black				
tires	Scott Manx 26 x 2.0 Kevlar Bead 66TPI	Scott Manx 26 x 2.0 27TPI	IRC Serac 26 x 1.95 27TPI				

SPORTSWOMAN

	GENIUS CONTESSA	CONTESSA 10	CONTESSA 20	CONTESSA 30	CONTESSA 40	CONTESSA 50
frame	Scott ultra light alloy 7005 custom butted mainframe with a double butted swingarm/Scott solution geometry for race and sport orientation women/optimised ILS kinematic/90mm rear travel with traction mode option/sealed cartridge bearings	Scott ultra light alloy 7005 AL 2 double butted frame/hydroform monocoque top tube to increase stiffness and better handling/Scott custom disc dropout/Scott solution geometry for sport orientation women/Kickstand adapter	Scott ultra light alloy 7005 AL 2 double butted frame /hydroform monocoque top tube to increase stiffness and better handling/Scott custom disc dropout/Scott solution geometry for sport orientation women/Kickstand adapter	Scott light alloy 7005 AL 3 butted frame/hydroform monocoque top tube to increase stiffness and better handling/Scott custom disc dropout/Scott solution geometry for sport orientation women/Kickstand adapter	Scott light alloy 7005 AL 3 butted frame/hydroform monocoque top tube to increase stiffness and better handling/Scott custom disc dropout/Scott solution geometry for sport orientation women/Kickstand adapter	Scott light alloy 6061 AL 4 frame / hydroform monocoque top tube to increase stiffness and better handling/Scott custom disc dropout/Scott solution geometry for sport orientation women/Kickstand adapter
fork/shock	Rock Shox Reba SL / Air Control Motion Lockout / Travel 100mm Rear: Genius TC remote lever 3 mode	Manitou Axel Comp Lockout / TPC reb. Adj. Diva Setup	Manitou Axel Comp FFD Hydraulic damping 80 mm Diva Setup	Manitou Axel Comp FFD Hydraulic damping 80 mm Diva Setup	Spinner Grind 1 Coil / Spring w preload softer spring setup 75mm	Top Gun SCT 08 MCU / w/o preload softer spring setup 60mm travel
rear der	Shimano XT 27 Speed	Shimano XT 27 Speed	Shimano LX 580 27 Speed	Shimano Deore 24 Speed	Shimano Acera black 24 Speed	Shimano Altus black 21 Speed
front der	Shimano LX / E-Type	Shimano LX 580	Shimano Deore	Shimano FD-MC 18	Shimano FD-M330	Shimano FDC-051
shifters	Shimano LX Dual Control	Shimano LX 580 Dual Control	Shimano Deore RF-fire plus	Shimano Alivio RF-fire plus	Shimano ST-EF29-8R EZ-fire plus	Shimano RS-41-7R Revo shifter
brakes	Shimano LX 580 Disc 160mm rotor F+R	Avid Single Digit 5R 70mm Cartridge Pads	Scott Pro 70mm Cartridge Pads	Scott Comp	Tektro SCB-32-AL	Tektro SCB-32-AL
crankset	Shimano LX 580 hollowtech 22x32x44 T	Shimano LX 580 hollowtech 22x32x44 T	Shimano FC-M460 22x32x44 T	Shimano FC-MC20-L 22x32x42 T	Shimano FC-M340 black with CG, 22x32x42 T	Shimano FC-TY33 black with CG, 28x38x48 T
handlebar	Scott Pilot Comp Solution 580mm, black	Scott Pilot Comp Solution 580mm, black	Scott Pilot Comp Solution 580mm, black	Scott Pilot Comp Solution 580mm, black	Scott Pilot Comp Solution 580mm, black	Scott MTB-152 580mm, black
h'stem	Scott Comp 4 bolt Clamp, black 1-1/8"/6° rise	Scott Comp 4 bolt Clamp, black 1-1/8"/6° rise	Scott Comp 4 bolt Clamp, black 1-1/8"/6° rise	Scott Elite D.B. Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead D.B. Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead D.B. Clamp, black 1-1/8"/15° rise
pedal	Shimano 520 Clipless Pedal	Shimano PD-M324 one side Clipless Pedal	Wellgo LU-998-S	Wellgo LU-998-S	Wellgo LU-982-S	Wellgo LU-895-N
seatpost	Scott RC 016	Scott Elite	Scott Elite	Scott Elite	HL SP-233	HL SP-233
seat	Scott Sport Solution	Scott Sport Solution	Scott Solution	Scott Solution	Scott Solution	Scott Solution
hubs	F: Shimano LX center lock R: Shimano LX center lock	F: Formula CO-31 R: Shimano FH-510	F: Formula CO-31 R: Shimano Deore FH-510	F: Formula FM-31 R: Shimano FH-RM-60-8	F: Formula FM-31 R: Shimano FH-RM30-8	F: Formula FM-31 R: Formula FM-31
cassette	Shimano LX 11-32 T	Shimano Deore 11-32 T	Shimano Deore 11-32 T	Shimano Alivio 11-30 T	Shimano CS-HG50-8I, 11-30 T	Shimano MF-HG37-7, 14-28 T
spokes	DT Swiss Champion black	DT Swiss Champion black	DT Swiss Champion black	CN silver	CN silver	14 G UCP
rim	Alesa Taurus 2000 Disc W/Eyelet black	Alesa ZAC-19 eyelet Alloy black D-Wall-UP	Alesa ZAC-19 Alloy black D-Wall-UP	Alesa ZAC-19 Alloy black D-Wall-UP	Alex DM-18 D-Wall, CNC, black	Araya VP 20 silver brushed sidewall
tires	Scott Manx 26 x 2.0 Kevlar Bead 127TPI light compound	Ritchey Speed Max black sidewall 26 x 1.95 / 27TPI	Ritchey Speed Max black sidewall 26 x 1.95 / 27TPI	Ritchey Speed Max black sidewall 26 x 1.95 / 27TPI	Ritchey Speed Max black sidewall 26 x 1.95 / 27TPI	Ritchey Speed Max black sidewall 26 x 1.95 / 27TPI



VOLTAGE

	VOLTAGE YZ 0 LIMITED	VOLTAGE YZ 0	VOLTAGE YZ 1 DISC	VOLTAGE YZ 1 V-BRAKE	VOLTAGE YZ 2 DISC	VOLTAGE YZ 2 V-BRAKE	VOLTAGE YZ 3 DISC	VOLTAGE YZ 3 V-BRAKE	VOLTAGE YZ 4 V-BRAKE
frame	Timo's signature bike Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout/ISCG mount	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter	Super stiff Octagon mainframe Hydraformed chainstays 6061 alloy Disc dropout Kickstandadapter
fork/shock	Marzocchi DJ 3 QR 20, 110 mm	Marzocchi Dirt Jam hydr. damp. 100mm	Suntour XC-60 w preload 75mm travel	Topgun SCT-08 w preload 75mm travel	Topgun SCT-08 w preload 75mm travel	Topgun SCT-08 w/o preload 75mm travel			
rear der	Shimano Deore XT 9 Speed	Shimano Deore 16 Speed	Shimano Alivio 24 Speed	Shimano Alivio 24 Speed	Shimano Acera 24 Speed	Shimano Acera 24 Speed	Shimano Altus 24 Speed	Shimano Altus 24 Speed	Shimano Altus 21 Speed
front der	Truvativ chainguide	Shimano Alivio	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Altus	Shimano Altus	Shimano FC-051
shifters	Shimano Deore RF-fire plus	Shimano Alivio RF-fire plus	Shimano Alivio RF-fire plus	Shimano Alivio RF-fire plus	Shimano Acera ST-EF-35-8R	Shimano Acera ST-EF-35-8R	Shimano ST-EF29-8R EZ-fire plus	Shimano ST-EF29-8R EZ-fire plus	Shimano RS-41-7R Revo shifter
brakes	Hayes HFX-9 hydraulic	Shimano BR-M495	Shimano BR-M465 mechanical	Scott Comp	Shimano BR-M465 mechanical	Tektro SCB-32-AL	Shimano BR-M465 mechanical	Tektro SCB-32-AL	Tektro SCB-32-AL
crankset	Race Face Diabolus 38 T	Truvativ Hussefelt 22 / 32 with bash guard	Shimano Alivio 22x32x42 T	Shimano Alivio 22x32x42 T	Shimano Acera black, 22x32x42 T	Shimano Acera black, 22x32x42 T	Shimano FC-TY-70, 24x34x42 T	Shimano FC-TY-70, 24x34x42 T	Shimano TY-Series FC-TY-33-A, 28x38x48 T
handlebar	Scott Pilot FR 680mm, black	Scott Pilot Comp 1.5 640mm, black	HL MTB-152 / Hi-Ten Uprise 600mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 600mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 600mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 600mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 620mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 620mm 20mm rise	HL MTB-152 / Hi-Ten Uprise 620mm 20mm rise
h'stem	Truvativ Hussefelt 40mm, black	Scott FR 1-1/8"/10° rise	HL TDS-C41-8 Ahead 1-1/8"/10° rise	HL TDS-C41-8 Ahead 1-1/8"/10° rise	HL TDS-C41-8 Ahead Alloy D.B Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead Alloy D.B Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead Alloy D.B Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead Alloy D.B Clamp, black 1-1/8"/15° rise	HL TDS-C41-8 Ahead D.B Clamp, black 1-1/8"/15° rise
pedal	Wellgo B-25 BMX type, CNC, alloy	Wellgo LU-987 BMX type, alloy	Wellgo LU-987 BMX type, alloy	Wellgo LU-987 BMX type, alloy	Wellgo LU-987 Alloy, BMX	Xerama SP-400 BMX			
seatpost	Scott Comp	Scott Elite	HL SP-233						
seat	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage	Scott Voltage
hubs	F: Formula DC 91 R: Shimano FH-M475 disc	F: HB-M 495 F R: Shimano FH-M495 L	F: Shimano HB-M495 R: Shimano FH-M495	F: Formula CO-31 R: Shimano Alivio MC-18	F: Disc: Shimano HB-M495 R: Shimano FH-M495	F: Formula FM-31 R: Shimano FH RM 30-8	F: Shimano HB-M495 R: Shimano FH-M495	F: Formula FM-31 R: Shimano FH RM 30-8	F: Formula FM-31 R: Formula FM-31
cassette	Shimano CS-HG50-9, 12-25 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T	Shimano Alivio 11-30 T	Shimano Altus 11-30 T	Shimano Altus 11-30 T	Shimano MF-HG37-7, 14-28 T
spokes	DT Swiss Champion black	DT Swiss Champion black	14 G, stainless	14 G, stainless	14 G, stainless	14 G, stainless	14 G UCP	14 G UCP	14 G UCP
ribs	Sun Singletrack	Alex DP-20 Freeride	Alex DM-18 D-Wall, CNC sidewall, black	Araya VP20 black brushed sidewall	Araya VP20 black brushed sidewall	Araya VP20 silver			
tires	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black	Scott Voltage 26 x 2.1 full black

