



# BIKE 06





# ALL MOUNTAIN

Introducing the Ransom, a bike that redefines all-mountain. Pushing the travel expectations for this category upward, the Ransom is the definitive backcountry experience, weighing less than 3080 grams and offering up to 165 mm of travel. Scott's CR1 carbon welding process optimizes the frame's strength and weight advantages.



## RANSOM



### RANSOM LTD

All-mountain & trail riding | frame CR1 carbon technology | front FOX 36 RC2 Talas, 110-150 mm | rear Scott Equalizer TC, traction mode and lockout, IRV, power stabilizer, reb. adj. 165 mm | SRAM X0 27 speed, Shimano XTR | 13.5 (29.7 lbs)



### RANSOM 10

All-mountain & trail riding | frame CR1 carbon technology | front FOX 36 R Talas, 110-150 mm | rear Scott Equalizer TC, traction mode and lockout, IRV, power stabilizer, reb. adj., 165 mm | SRAM X0 27 speed, Shimano XT | 14 kg (30.8 lbs)





RENE WILDHABER



### RANSOM 20

All-mountain & trail riding | frame CR1 carbon technology | front Marzocchi All Mountain 1, TST, reb. adj., ETA travel adj., 150 mm | rear Scott Equalizer TC, traction mode and lockout, IRV, power stabilizer, reb. adj., 165 mm | Shimano XT/LX | 14.3 kg (31.46 lbs)



### RANSOM 30

All-mountain & trail riding | frame, 3D custom butted 6061 alloy | front FOX 36 R Talas, 110-150 mm | rear Scott Equalizer TC, traction mode and lockout, IRV, power stabilizer, reb. adj., 165 mm | Shimano XT/LX | 14.9 kg (32.78 lbs)



### RANSOM 40

All-mountain & trail riding | frame 3D custom butted 6061 | front Marzocchi All Mountain 2, ETA travel adj., 150 mm | rear Scott Equalizer TC, traction mode and lockout, IRV, power stabilizer, reb. adj., 165 mm | Shimano XT/Deore 27 speed | 15.3 kg (33.66 lbs)



# ENDURANCE

The Genius MC line is developed for long distance rides and marathon racing. CR1 carbon technology allows us to produce this 125mm travel frameset at a weight of just 2250 grams including the rear shock. The advanced carbon fiber lay-up process results in the lightest, stiffest, most impact-resistant frames on the market.

The Scott TC rear shock uses a handlebar-mounted adjustment lever, which gives riders three different suspension options: Lock out, traction mode (90 mm travel) and full travel mode (125 mm). This adjustability creates the best riding characteristics for all conditions.



## GENIUS



**GENIUS  
MC LTD**

**Marathon XC | frame** CR1 carbon technology | **front** FOX Forx Talas RLC, lockout, 90-130 mm | **rear** Scott Genius TC, traction mode and lockout, 125 mm | Shimano XTR 27 speed, Shimano XTR disc brakes | 11.3 kg (24.86 lbs)



**GENIUS  
MC 10**

**Marathon XC | frame** CR1 carbon technology | **front** FOX Forx Talas RL, lockout, 90-130 mm | **rear** Scott Genius TC, traction mode and lockout, reb. adj., 125 mm | SRAM X-0 27 speed, XTR, Avid Juiicy Carbon disc brakes | 11.6 kg (25.52 lbs)





**GENIUS**  
**MC 20**

**Marathon XC | frame** CR1 carbon technology | **front** FOX Forx Talas RL, lockout, reb. adj., 90-130 mm | **rear** Scott Genius TC, traction mode and lockout, reb. adj., 125 mm | Shimano XTR/XT 27 speed, Shimano XT disc brakes | 11.9 kg (26.18 lbs)



**GENIUS**  
**MC 30**

**Marathon XC | frame** CR1 carbon technology | **front** FOX Forx Talas RL, lockout, 90-130 mm | **rear** Scott Genius TC with traction mode and lockout, rebound adjustable, 125 mm | Shimano XTR/LX 27 speed, LX disc | 12.5 kg (27.5 lbs)



**MC**

**GENIUS**  
**MC 40**

**Marathon XC | frame** 3D custom butted 6061 alloy | **front** FOX Forx Talas RL, lockout, 90-130 mm | **rear** Scott Genius TC, traction mode and lockout, reb. adj., 125 mm | Shimano XTR/LX 27 speed, LX disc | 12.8 kg (28.16 lbs)



**GENIUS**  
**MC 50**

**Marathon XC | frame** 3D custom butted 6061 alloy | **front** Rock Shox Recon 351 air, lockout, U-Turn 85-130 mm | **rear** Scott Genius TC with traction mode and lockout, reb. adj., 125 mm | Shimano XT/LX 27 speed, LX disc | 12.9 kg (28.39 lbs)



# RACE

# CONCEPT

The Genius RC line is a race inspired, ultra light design using our proven CR1 carbon technology. It utilizes an oversized tubeset and custom carbon fiber lay up to achieve a frame which is stiffer and lighter than the competition.

With its cross country race geometry and ILS "Intelligent Linkage System", the Genius RC is the first choice for competitive MTB racers. Designed with mountain bike legend Thomas Frischknecht, the RC delivers the perfect suspension bike for cross country racing. With a weight of 2130 grams (4.68 lbs) including rear shock, the RC line has created a new bench mark in light weight, no-compromise race bikes.



**genius  
RC LTD**

XC-racing | frame CR1 carbon technology, scandium swingarm | front Rock Shox Reba WC, carbon crown, lockout, 100 mm | rear Scott Genius TC, traction mode and lockout, reb. adj, 90 mm | Shimano XTR 27 speed | 10.2 kg (22.44 lbs)



THOMAS FRISCHKNECHT

# GENIUS





**genius**  
**RC 10**

**XC-racing** | frame CR1 carbon technology | **front** FOX Forx F100 RLT, reb. & compr. adj., 100 mm | **rear** Scott Genius TC, traction mode and lockout, reb. adj., 90 mm | SRAM X-0 27 speed, XTR, Avid Juicy Carbon disc brakes | 10.8 kg (23.76 lbs)

RC



**genius**  
**RC 20**

**XC-racing** | frame CR1 carbon technology | **front** FOX Forx F100 RL, rebound adjustable, 100 mm | **rear** Scott Genius TC with traction mode and lockout, rebound adjustable, 90 mm | Shimano XTR/XT 27 speed, XT disc | 11.5 kg (25.3 lbs)



# RACING

"The Scale is a super light and beautiful riding machine. This is by far the best hardtail I have ridden in my career!"

World Cup star Lado Fumic knows what he's talking about. Together with his brother Mani, their race driven feedback has helped us develop the best-performing products and bikes in the world.

The technology of the Scale goes beyond what appears on the surface. Its SDS (Shock Dampening System) provides an "organic" feel, absorbing trail vibrations while remaining rigid.



LADO FUMIC

## SCALE



**scale**  
LTD

XC Elite racing | frame CR1 carbon technology | front Rock Shox Reba WC, carbon crown, 80 mm | Shimano XTR 27 speed, Mavic Crossmax, Ritchey WCS carbon, Shimano XTR disc brakes | 9.6 kg (21.12 lbs)



**scale**  
10

XC Elite racing | frame CR1 carbon technology | front FOX FX 80, Terra Logic, 80 mm | SRAM X-0 27 speed, Shimano XTR, Ritchey WCS carbon, DT Swiss/Mavic wheelset, Avid Juicy Carbon disc brakes | 9.8 kg (21.56 lbs)





MANUEL FUMIC



LADO FUMIC

# 20



**scale**  
**20**

XC Elite racing | frame CR1 carbon technology | front FOX F 80FRL, Lockout, 80 mm | Shimano XTR/XT 27 speed, DT Swiss/Mavic wheelset, Shimano XT disc brakes | 10 kg (22 lbs)



**scale**  
**30**

XC Elite racing | frame CR1 carbon technology | front FOX F 80FRL, Lockout, 80 mm | Shimano XT/LX 27 speed, Shimano/Mavic wheelset, Shimano LX disc brakes | 10.7 kg (23.54 lbs)





# SCALE




**scale**  
40

XC racing | frame custom butted 7005 alloy, hydroformed tubing | front Rock Shox Recon 351 air, Motion Control lockout, rebound adjustable, 80mm | Shimano XT/Deore LX 27 speed, Deore LX disc brakes | 11.8 kg (25.96 lbs)

**scale**  
50

XC racing | frame custom butted 7005 alloy, hydroformed tubing | front Rock Shox Tora 318, Motion Control lockout, rebound adjustable, 80 mm | Shimano XT/Deore 27 speed, Deore disc brakes | 12 kg (26.4 lbs)





**scale**  
**60**

**XC racing** | frame double butted 7005 alloy, hydroformed tubing | front Rock Shox Tora 318, Motion Control lockout, rebound adjustable, 80 mm | Shimano XT/Deore 27 speed, Avid single digit 3 V-brakes | 12.5 kg (27.5 lbs)



**scale**  
**10**

**XC racing** | frame double butted 7005 alloy, hydroformed tubing | front Rock Shox J2, lockout, rebound adjustable, 80 mm | Shimano XT/Deore 27 speed | 12.7 kg (27.94 lbs)



# REFLEX

## The perfect combination of technology and comfort

Scott's brand new Reflex full suspension bikes utilize the same proven technology as the Genius MC series. Made of super light, high quality 6061 aluminum, every Reflex frame guarantees stability and optimal stiffness. The new two-stage adjustable LC shock features a lockout lever, allowing you to enjoy full travel (110 mm) or completely lock out the suspension. This feature allows the most comfortable handling and riding experience on any trail.



### REFLEX FX 15

All-round & touring | frame double butted 6061 alloy, based on Genius frame technology | front Rock Shox Tora-318 air, reb. adj., 100 mm | rear Scott LC, lockout, reb. adj., 110 mm | Shimano XT/LX 27 speed, LX disc | 13.2 kg (29.04 lbs)



# REFLEX





## REFLEX



### REFLEX FX 25

All-round & touring | frame double butted 6061 alloy, based on Genius frame technology | front Tora-318, lockout, reb. adj., 100 mm | rear Scott LC, lockout, reb. adj., 110 mm | Shimano LX/Deore 27 speed, Deore disc brakes | 13.9 kg (30.58 lbs)




### REFLEX FX 35

All-round & touring | frame double butted 6061 alloy, based on Genius frame technology | front Tora-318, lockout, reb. adj., 100 mm | rear Scott LC, lockout, reb. adj., 110 mm | Shimano LX/Deore 27 speed, Avid V-brakes | 13.9 kg (30.58 lbs)



REFLEX



10



**REFLEX 10**

All-round | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox Tora 318, Motion Control lockout, rebound adjustable, 100 mm | Shimano XT/LX 27 speed, Avid brakes | 12.3 kg (27.06 lbs)

DISC  
VERSION AVAILABLE



**REFLEX 20**

All-round | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox J 2, lockout, rebound adjustable, 100 mm | Shimano LX/Deore 27 speed | 12.9 kg (28.38 lbs)





### REFLEX 30

**All-round** | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox J 2, lockout, rebound adjustable, 100 mm | Shimano Deore/Alivio 24 speed | 13 kg (28.6 lbs)



### REFLEX 40

**All-round** | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox J 1, preload adjustable, 100 mm | Shimano Alivio/Acera 24 speed | 13.2 kg (29.04 lbs)



### REFLEX 50

**All-round** | frame 6061 alloy, hydroformed tubing | front Topgun SCT-08, preload adjustable, 75 mm | Shimano Acera/Altus 24 speed | 14 kg (30.8 lbs)



# SPORTSWOMAN

Developed by women, for women. Our Contessa women's racing team riders were actively involved in the development and design of the Contessa mountain series. The shorter top tube on all Contessa models is a key feature, resulting in more comfortable rides and less fatigue and backache.

Scott's innovative and proven Genius technology is incorporated into our women's models, with the top-of-the-line Genius Contessa FX-15 featuring a 3-mode Genius TC shock.

## Contessa



### GENIUS CONTESSA FX 15

XC-Racing & touring | frame double butted 6061 alloy, based on Genius frame technology | front FOX F100 RL, lockout, 100 mm | rear Scott Genius TC with traction mode and lockout, 125 mm | Shimano XT/LX 27 speed, LX disc







**CONTESSA  
FX 25**

**All-round & touring** | frame double butted 6061 alloy, based on Genius frame technology | **front** Rock Shox Tora-318, Motion Control lockout, 100 mm | **rear** Scott LC, lockout, reb. adj., 110 mm | Shimano LX/Deore 27 speed, Deore disc brakes





Scott



CONTESSA 10

**All-round & touring** | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox Tora 318, Motion Control lockout, rebound adjustable, 80 mm | Shimano XT/Deore 27 speed, Deore disc brakes



CONTESSA 20

**All-round** | frame double butted 6061 alloy, hydroformed tubing | front Rock Shox J 2, lockout, rebound adjustable, 80 mm | Shimano LX/Deore 27 speed





**CONTESSA 30**

**All-round | frame** double butted 6061 alloy, hydroformed tubing | **front** Rock Shox J 2, lockout, rebound adjustable, 80 mm | Shimano Deore/Alivio 24 speed



**CONTESSA 40**

**All-round | frame** double butted 6061 alloy, hydroformed tubing | **front** Rock Shox J 1, preload adjustable, 80 mm | Shimano Alivio/Acera 24 speed



**CONTESSA 50**

**All-round | frame** 6061 alloy, hydroformed tubing | **front** Topgun SCT 08, preload adjustable, 75 mm | Shimano Alivio/Acera 24 speed



# PROGRESSIVE

Our High Octane has been developed to conquer every downhill track on the planet - from high speed passages to the steepest drops you can handle. Suspension travel, steering angles, bottom bracket height and seat angles of the new High Octane are all fully adjustable and allow for easy, fast and perfect tuning for every downhill course.



JANES GRASIC

## HIGH OCTANE



### HIGH OCTANE

**Downhill** | frame new hydroformed tubing, 7005 aluminum alloy, IDS 12 mm thru axle | **front** Marzocchi 888 VF2, 203 mm | **rear** FOX DHX 4.0, 180-240 mm adj | SRAM X-9, E thirteen SRS chainguide, Hayes El Camino disc brakes







JANES GRASIC

# nitrous

Steep lines, big drops, and fast corners - the Nitrous is poised and ready for action. With many improvements to the Nitrous series, you can expect this bike to handle anything you can dish out. Longer travel 195mm rear suspension and a new stiffer, removable dropout are two major upgrades. Nitrous bikes also get a slacker head angle (67 degrees) and a longer top tube, which add to the outstanding handling performance and nimble characteristics of this machine.

PROGRESSIVE



## NITROUS 10

**Freeride | frame** new hydroformed tubing, 7005 alloy, IDS dropout 12mm thru axle | **front** Marzocchi 66 VF2 LT, 190 mm | **rear** FOX DHX 4.0, 195 mm | SRAM X-9 18 speed, Truvativ Holzfeller double chainring with shiftguide, Hayes El Camino disc



## NITROUS 20

**Freeride | frame** new hydroformed tubing, 7005 alloy, IDS dropout | **front** Marzocchi 66 VF2 LT, 20 mm thru axle, 190 mm | **rear** FOX DHX 3.0, 195 mm | Shimano XT/Deore 18 speed, Truvativ Ruktion double chainring, Hayes HFX-9 disc brakes



# voltage

Designed for freestyle master Timo Pritzel, the Voltage series is built to withstand the demands of dirt jumping, urban sessions, and park riding. With an updated Octagon tube set, super-short chainstays and replaceable 12mm thru-axle dropouts, the Voltage will allow you to push the limits and let your true skills show.



## voltage YZ 0 LTD

**Dirt jump-urban** | **frame** new super stiff 6061 alloy frame, hydroformed Octagon tubing, IDS dropout with 12 mm thru axle | **front** Marzocchi DJ3, 20 mm, 80 mm | SRAM X-9/X7 9 speed, Truvativ Holzfeller, Hayes HFX-9 hydraulic disc



## voltage YZ 0.5

**Dirt jump-urban** | **frame** new super stiff 6061 alloy frame, hydroformed Octagon tubing, IDS dropout system | **front** Marzocchi Dirt Jam Pro, preload adj., 80 mm | Shimano XT/Deore 9 speed, Truvativ Hussefelt, Hayes Sole hydraulic disc



## voltage YZ 0

**Dirt jump-urban** | **frame** new super stiff 6061 alloy frame, hydroformed Octagon tubing | **front** Marzocchi Dirt Jam Comp, preload adjustable, 80 mm | Shimano Deore/Alivio 16 speed, Truvative Hussefelt, Shimano BR-M495 disc brakes



**V-BRAKE**  
VERSION AVAILABLE



**voltage**  
**YZ 1**

**Dirt jump-urban** | frame new super stiff 6061 alloy frame, hydroformed Octagon tubing | **front** Manitou Trace Comp, preload adjustable, 80 mm | Shimano Alivio 24 speed

**V-BRAKE**  
VERSION AVAILABLE



**voltage**  
**YZ 2**

**Dirt jump-urban** | frame new super stiff 6061 alloy frame, hydroformed Octagon tubing | **front** Suntour XCT-60, preload adjustable, 80 mm | Shimano Alivio/Acera 24 speed

**DISC**  
VERSION



**voltage**  
**YZ 3**

**Dirt jump-urban** | frame super stiff 6061 alloy frame, hydroformed Octagon tubing | **front** Topgun SCT-08, preload adjustable, 80 mm | Shimano Acera/Altus 24 speed



**voltage**  
**YZ 4**

**Dirt jump-urban** | frame super stiff 6061 alloy frame, hydroformed Octagon tubing | **front** Topgun SCT-08, 80 mm | Shimano Acera/Altus 21 speed





RENE WILDHABER

	RANSOM LIMITED				RANSOM 10				RANSOM 20				RANSOM 30				RANSOM 40			
size	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL
frame	Scott Ransom Concept Carbon mainframe CR1 HMF carbon seatstays Alloy 6061 D.B. chainstays IDS interchangeable Dropout 165mm rear travel				Scott Ransom Concept Carbon mainframe CR1 HMF carbon seatstays Alloy 6061 D.B. chainstays IDS interchangeable Dropout 165mm rear travel				Scott Ransom Concept Carbon mainframe CR1 T. carbon seatstays Alloy 6061 D.B. chainstays IDS interchangeable Dropout 165mm rear travel				Scott Ransom Concept monocoque 6061 D.B. Alloy 6061 D.B. swingarm IDS interchangeable Dropout 165mm rear travel				Scott Ransom Concept monocoque 6061 D.B. Alloy 6061 D.B. swingarm IDS interchangeable Dropout 165mm rear travel			
fork	Fox 36 RC2 Talas travel adj. 110-150mm 20mm axle/reb. & comp. adj.				Fox 36 R Talas travel adj. 110-150mm 20mm axle / reb. adj.				Marzocchi All Mountain 1 150mm / ETA travel adj/TST Reb. Adj. / Tapered tubes				Fox 36 R Talas travel adj. 110-150mm 20mm axle / reb. adj.				Marzocchi All Mountain 2 150mm ETA travel adj Reb. Adj.			
rear shock	Scott Equalizer TC LO-TC-AT / Traction mode IRV intelligent rebound valve Power stabilizer on-off reb. Adj. / remote control				Scott Equalizer TC LO-TC-AT / Traction mode IRV intelligent rebound valve Power stabilizer on-off reb. Adj. / remote control				Scott Equalizer TC LO-TC-AT / Traction mode IRV intelligent rebound valve Power stabilizer on-off reb. Adj. / remote control				Scott Equalizer TC LO-TC-AT / Traction mode IRV intelligent rebound valve Power stabilizer on-off reb. Adj. / remote control				Scott Equalizer TC LO-TC-AT / Traction mode IRV intelligent rebound valve Power stabilizer on-off reb. Adj. / remote control			
rear der	SRAM X-0 27 Speed carbon cage				SRAM X-0 27 Speed carbon cage				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M751			
front der	Shimano XTR				Shimano XT				Shimano LX				Shimano LX				Shimano LX			
shifters	SRAM Trigger X-0 multi adj./with carbon parts				SRAM Trigger X-0 multi adj./with carbon parts				Shimano SL-M570 RF-fire plus				Shimano SL-M570 RF-fire plus				Shimano Deore SL-M511 RF-fire plus			
brakelevers	Avid Juciy Carbon				Avid Juciy 7				Avid Juciy 5				Avid Juciy 5				Shimano M 535 Disc			
brakes	Avid Juciy Carbon 203/F and 185/R mm rotor				Avid Juciy 7 203/F and 185/R mm rotor				Avid Juciy 5 203/F and 185/R mm rotor				Avid Juciy 5 203/F and 185/R mm rotor				Shimano M 535 Disc 203/F and 180/R mm rotor			
crankset	Shimano XTR 960 hollowtech 2 22x32x44 T				Shimano XT 760 hollowtech 2 22x32x44 T				Shimano FC-M540 hollowtech 22x32x44 T				Shimano FC-M540 hollowtech 22x32x44 T				Shimano FC-M540 hollowtech 22x32x44 T			
BB-Set	Shimano Cartridge				Shimano Cartridge				Shimano ES - 30 spline				Shimano ES - 30 spline				Shimano ES - 30 spline			
handlebar	Synros Factory Carbon D.B / 20 mm rise / 680 mm				Scott Pilot EC Pro D.B / 25 mm rise / 670 mm				Scott Pilot EC Pro D.B / 25 mm rise / 670 mm				Scott Pilot EC Comp D.B / 25 mm rise / 670 mm				Scott Pilot EC Comp D.B / 25 mm rise / 670 mm			
h'stem	Thomson Elite X4 10° rise / 31.8mm				Thomson Elite X4 10° rise / 31.8mm				Scott EC Pro 5° rise / 31.8mm				Scott EC Pro 5° rise / 31.8mm				Scott EC Pro 5° rise / 31.8mm			
pedal	Shimano PD-M424 Clipless pedal				Shimano PD-M424 Clipless pedal				Shimano PD-M424 Clipless pedal				Shimano PD-M424 Clipless pedal				Shimano PD-M424 Clipless pedal			
seatpost	Scott RC 03-20				Scott RC 03-20				Scott RC 03-20				Scott RC 03-60				Scott RC 03-60			
seat	Scott EC / Cr-Mo				Scott EC / Cr-Mo				Scott EC / Cr-Mo				Scott EC / Cr-Mo				Scott EC / Cr-Mo			
hubs	F: Mavic Crossmax XL Disc/ 20mm R: Mavic Crossmax XL Disc				F: Scott EC Pro/20mm thru axle R: DT Swiss Disc 32 H				F: DT Swiss Disc 32 H R: DT Swiss Disc 32 H				F: Scott EC/20mm thru axle R: DT Swiss Disc 32 H				F: Shimano 535 Disc blk/CL R: Shimano 535 Disc blk/CL			
chain	Shimano CN-HG93				Shimano CN-HG73				Shimano CN-HG73				Shimano CN-HG73				Shimano CN-HG53			
cassette	Shimano XTR M-960 11-32 T				Shimano XT M-760 11-32 T				Shimano LX HG580-9 11-32 T				Shimano XT M-760 11-32 T				Shimano LX HG580-9 11-32 T			
spokes	Mavic Crossmax XL Disc				F: DT Swiss Revolution black R: DT Swiss super comp black				DT Swiss super comp black				DT Swiss super comp black				DT Swiss black			
ribs	Mavic Crossmax XL Disc				Sun S.O.S Disc 28mm wide / eyelets				Sun S.O.S P1 Disc 28mm wide / eyelets				Sun S.O.S P1 Disc 28mm wide / eyelets				Sun S.O.S P1 Disc 28mm wide / eyelets			
tires	Scott Stroke UST tubeless 26 x 2.35 Kevlar Bead 127TPI/superlight compound				Scott Stroke 26 x 2.35 Kevlar Bead 127TPI/superlight compound				Scott Stroke 26 x 2.35 Kevlar Bead 127TPI / light compound				Scott Stroke 26 x 2.35 Kevlar Bead 127TPI / light compound				Scott Stroke 26 x 2.35 Kevlar Bead 127TPI / light compound			



size	GENIUS MC LIMITED				GENIUS MC 10				GENIUS MC 20				GENIUS MC 30				GENIUS MC 40				GENIUS MC 50			
	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL
frame	Genius MC Carbon CR1 HMF technology Alloy X3 C.B. Swingarm 125mm rear travel				Genius MC Carbon CR1 technology Alloy 6061 D.B. Swingarm 125mm rear travel				Genius MC Carbon CR1 technology Alloy 6061 D.B. Swingarm 125mm rear travel				Genius MC Carbon CR1 technology Alloy 6061 D.B. Swingarm 125mm rear travel				Genius MC concept Alloy 6061 D.B. integrated headset 125mm rear travel				Genius MC concept Alloy 6061 D.B. integrated headset 125mm rear travel			
fork	Fox Fox Talas RLC Lockout /reb. & comp. Adj. Travel Adjust 90-130mm				Fox Fox Talas RL Lockout /reb. Adj. Travel Adjust 90-130mm				Fox Fox Talas RL Lockout /reb. Adj. Travel Adjust 90-130mm				Fox Fox Talas RL Lockout /reb. Adj. Travel Adjust 90-130mm				Fox Fox Talas RL Lockout /reb. Adj. Travel Adjust 90-130mm				Rock Shox Recon 351 Motion C. /Lockout/reb. Adj. U-Turn 85-130mm			
rear shock	Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control			
rear der	Shimano XTR 27 Speed RD-M960				SRAM X-0 27 Speed carbon cage				Shimano XTR 27 Speed RD-M960				Shimano XTR 27 Speed RD-M960				Shimano XTR 27 Speed RD-M960				Shimano XT 27 Speed RD-M751			
front der	Shimano XTR / E-Type				Shimano XT / E-Type				Shimano XT / E-Type				Shimano LX / E-Type				Shimano LX / E-Type				Shimano LX / E-Type			
shifters	Shimano XTR 966 Dual Control				SRAM X-0 Trigger multi adj./with carbon parts				Shimano XT 766 Dual Control				Shimano LX 585 Dual Control				Shimano LX 585 Dual Control				Shimano LX 585 Dual Control			
brakelevers	Shimano XTR Disc				Avid Jucy Carbon				Shimano XT Disc				Shimano LX Disc				Shimano LX Disc				Shimano LX Disc			
brakes	Shimano XTR Disc 180/F and 160/R mm rotor				Avid Jucy Carbon 180/F and 160/R mm rotor				Shimano XT Disc 180/F and 160/R mm rotor				Shimano LX Disc 180/F and 160/R mm rotor				Shimano LX Disc 180/F and 160/R mm rotor				Shimano LX Disc 180/F and 160/R mm rotor			
crankset	Shimano XTR 960 Hollowtech 2 22x32x44 T				Shimano XTR 960 Hollowtech 2 22x32x44 T				Shimano XT 760 Hollowtech 2 22x32x44 T				Shimano FC-M 540 hollowtech 22x32x44 T				Shimano FC-M 540 hollowtech 22x32x44 T				Shimano FC-M 540 hollowtech 22x32x44 T			
BB-Set	Shimano Cartridge				Shimano Cartridge				Shimano Cartridge				Shimano ES - 30 spline				Shimano ES - 30 spline				Shimano ES - 30 spline			
handlebar	Ritchey Carbon WCS 15 mm Rise / 660 mm				Ritchey Carbon WCS 15 mm Rise / 660 mm				Scott MC OS pro D.B. 12 mm rise / 640 mm				Scott MC OS pro D.B. 12 mm rise / 640 mm				Scott MC OS pro D.B. 12 mm rise / 640 mm				Scott MC OS pro D.B. 12 mm rise / 640 mm			
h'stem	Thomson Elite X4 1-1/8" / 0° rise				Scott MC pro 1-1/8" / 7° rise				Scott MC pro 1-1/8" / 7° rise				Scott MC pro 1-1/8" / 7° rise				Scott MC pro 1-1/8" / 7° rise				Scott MC pro 1-1/8" / 7° rise			
pedal	Shimano PD-M540 Clipless pedal				Shimano PD-M540 Clipless pedal				Shimano PD-M540 Clipless pedal				Shimano PD-M520 Clipless pedal				Shimano PD-M520 Clipless pedal				Shimano PD-M520 Clipless pedal			
seatpost	Ritchey WCS Carbon				Scott RC 03-20				Scott RC 03-20				Scott RC 03-60				Scott RC 03-60				Scott RC 03-60			
seat	Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar				Scott Endurance Cr-Mo				Scott Endurance Cr-Mo				Scott Endurance Cr-Mo			
hubs	F: Mavic Cross Max Disc R: Mavic Cross Max Disc				F: DT Swiss Disc 28 H / CL R: DT Swiss Disc 28 H / CL				F: DT Swiss Disc 28 H / CL R: DT Swiss Disc 28 H / CL				F: Shimano 535 Disc blk/CL R: Shimano 535 Disc blk/CL				F: Shimano 535 Disc blk/CL R: Shimano 535 Disc blk/CL				F: Shimano 535 Disc blk/CL R: Shimano 535 Disc blk/CL			
chain	Shimano CN-HG93				Shimano CN-HG73				Shimano CN-HG73				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53			
cassette	Shimano XTR M-960 11-32 T				Shimano XT M-760 11-32 T				Shimano XT M-760 11-32 T				Shimano LX HG580-9 11-32 T				Shimano LX HG580-9 11-32 T				Shimano LX HG580-9 11-32 T			
spokes	Mavic Cross Max Disc				DT Swiss new aero Black				DT Swiss new aero Black				DT Swiss Champion Black				DT Swiss Champion Black				DT Swiss Champion Black			
rims	Mavic Cross Max Disc				Mavic XM-317 Disc 28H Black Anodized				Mavic XM-317 Disc 28H Black Anodized				Mavic XM-317 Disc 32H Black Anodized				Sun DS-2 Disc 32H Black Anodized				Sun DS-2 Disc 32H Black Anodized			
tires	Scott Cougar UST tubeless 26 x 2.25 Kevlar Bead 127TPI super light compound				Scott Cougar 26 x 2.25 Kevlar Bead 127 TPI / light compound				Scott Cougar 26 x 2.25 Kevlar Bead 127 TPI / light compound				Scott Cougar 26 x 2.25 Kevlar Bead 127 TPI / light compound				Scott Cougar 26 x 2.25 Kevlar Bead 66 TPI				Scott Cougar 26 x 2.25 Kevlar Bead 66 TPI			







THOMAS FRISCHKNECHT

**RC**

	GENIUS RC LIMITED				GENIUS RC 10				GENIUS RC 20			
size	S	M	L	XL	S	M	L	XL	S	M	L	XL
frame	Scott Carbon CR1 HMF technology scandium C.B. swingarm 90mm rear travel				Scott Carbon CR1 technology 7005 D.B. swingarm 90mm rear travel				Scott Carbon CR1 technology 7005 D.B. swingarm 90mm rear travel			
fork	Rock Shox Reba WC carbon crown /reb. A. Pop loc Lockout / 100mm				Fox Fox F100 RLT Lockout /reb. & comp Adj. Travel 100mm				Fox Fox F100 RL Lockout /reb. A. Travel 100mm			
rear shock	Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control			
rear der	Shimano XTR 27 Speed RD-M960				SRAM X-0 27 Speed carbon cage				Shimano XTR 27 Speed RD-M960			
front der	Shimano XTR / E-Type				Shimano XTR / E-Type				Shimano XT / E-Type			
shifters	Shimano XTR 966 Dual control				SRAM X-0 Trigger multi adj./with carbon parts				Shimano XT 766 Dual control			
brakelevers	Shimano XTR Disc				Avid Juciy Carbon				Shimano XT			
brakes	Shimano XTR Disc 160mm rotor F+R				Avid Juciy Carbon 160mm rotor F+R				Shimano XT Disc 160mm rotor F+R			
crankset	Shimano XTR 960 hollowtech 2 22x32x44 T				Shimano XTR 960 hollowtech 2 22x32x44 T				Shimano XT 760 hollowtech 2 22x32x44 T			
BB-Set	Shimano Cartridge				Shimano Cartridge				Shimano Cartridge			
handlebar	Ritchey Carbon WCS Flat / 580 mm				Ritchey Carbon WCS Flat / 580 mm				Ritchey Carbon WCS Flat / 580 mm			
h'stem	Ritchey WCS 1-1/8" / 6° rise				Ritchey WCS 1-1/8" / 6° rise				Scott Pro OS 1-1/8" / 6° rise			
pedal	Shimano PD-M540 Clipless pedal				Shimano PD-M540 Clipless pedal				Shimano PD-M540 Clipless pedal			
seatpost	Ritchey WCS Carbon				Ritchey WCS Carbon				Scott RC 03-20			
seat	Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar			
hubs	F: Mavic Cross Max Disc CL R: Mavic Cross Max Disc CL				F: DT Swiss Disc / 28H R: DT Swiss 240 S Disc/28H				F: DT Swiss Disc 28 H / CL R: DT Swiss Disc 28 H / CL			
chain	Shimano CN-HG93				Shimano CN-HG73				Shimano CN-HG73			
cassette	Shimano XTR M-960 11-32 T				SRAM PG-990 12-32 T				Shimano XT M-760 11-32 T			
spokes	Mavic Cross Max Disc CL				DT Swiss new aero black				DT Swiss new aero black			
rims	Mavic Cross Max Disc CL				DT Swiss XR 4.1d 28H Black Anodized				Mavic XM-317 Disc 28H Black Anodized			
tires	Scott OXYD UST tubeless 26 x 2.0 120TPI Kevlar Bead dual compound				Scott OXYD 26 x 2.0 120TPI Kevlar Bead dual compound				Scott OXYD 26 x 2.0 120TPI Kevlar Bead dual compound			



	SCALE LIMITED				SCALE 10				SCALE 20				SCALE 30				SCALE 40				SCALE 50				SCALE 60				SCALE 70			
size	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL
frame	Scott Scale Carbon CR1 HMF technologie custom disc dropout				Scott Scale Carbon CR1 technologie custom disc dropout				Scott Scale Carbon CR1 technologie custom disc dropout				Scott Scale Carbon CR1 technologie custom disc dropout				Scott Alloy 7005 CB hydratrom mono-coque TT integrated headtube				Scott Alloy 7005 CB hydratrom mono-coque TT integrated headtube				Scott Alloy 7005 DB hydratrom mono-coque TT integrated headtube				Scott Alloy 7005 DB hydratrom mono-coque TT integrated headtube			
fork	Rock Shox Reba WC carbon crown /reb. A. Pop loc Lockout / 80mm				Fox FX 80 reb. adj / Terra Logic 80 mm				Fox F80 RL reb. adj / Lockout 80 mm				Fox F80 RL reb. adj / Lockout 80 mm				Rock Shox Recon 351 Air Air Spring / Motion Control 80 mm / Lockout / reb. Adj.				Rock Shox Tora 318 Coil Spring / Motion Control 80 mm / Lockout / reb. Adj.				Rock Shox Tora 318 Coil Spring / Motion Control 80 mm / Lockout / reb. Adj.				Rock Shox J2 Coil Spring / Lockout 80 mm / reb. Adj.			
rear der	Shimano XTR 27 Speed RD-M960				SRAM X-0 27 Speed carbon cage				Shimano XTR 27 Speed RD-M960				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M-751				Shimano XT 27 Speed RD-M-751			
front der	Shimano XTR / E-Type				Shimano XTR / E-Type				Shimano XT / E-Type				Shimano LX / E-Type				Shimano LX				Shimano Deore 530				Shimano Deore 510				Shimano Deore 510			
shifters	Shimano XTR 966 Dual control				SRAM X-0 Trigger multi adj. / with carbon parts				Shimano XT 766 Dual control				Shimano LX 585 Dual control				Shimano LX 585 Dual control				Shimano Deore 535 Dual-Control				Shimano Deore 530 Dual-Control				Shimano Deore 511 RF-fire plus			
brakelevers	Shimano XTR Disc				Avid Juicy Carbon				Shimano XT Disc				Shimano LX Disc				Shimano LX Disc				Shimano Deore 535 Disc				Shimano Deore 530				Avid FR 5			
brakes	Shimano XTR Disc 160 F & R mm rotor				Avid Juicy Carbon 160 F & R mm rotor				Shimano XT Disc 160 F & R mm rotor				Shimano LX Disc 160 F & R mm rotor				Shimano LX Disc 160 F & R mm rotor				Shimano Deore 535 Disc 160 F & R mm rotor				Avid single digit 3 70mm steel cart. Pads				Scott Comp 70mm Pads			
crankset	Shimano XTR 960 hollowtech 2 22x32x44 T				Shimano XTR 960 hollowtech 2 22x32x44 T				Shimano XT 760 hollowtech 2 22x32x44 T				Shimano LX 580 hollowtech 2 22x32x44 T				Shimano FC-M 540 hollowtech 22x32x44 T				Shimano FC-M 470 hollowtech 22x32x44 T				Shimano FC-M 460 hollowtech 22x32x44 T				Shimano FC-M 440 22x32x44 T			
BB-Set	Shimano Cartridge				Shimano Cartridge				Shimano Cartridge				Shimano Cartridge				Shimano ES 30 spline				Shimano ES 30 spline				Shimano UN 26				Shimano UN 26			
handlebar	Ritchey Carbon WCS Flat / 580 mm				Ritchey Carbon WCS Flat / 580 mm				Scott Hot Rod 580 mm				Scott Hot Rod 580 mm				Scott X-Rod 580 mm				Scott X-Rod 580 mm				Scott X-Rod 580 mm				Scott X-Rod 580 mm			
h'stem	Ritchey WCS 1-1/8" / 6° rise				Ritchey WCS 1-1/8" / 6° rise				Scott Pro 1-1/8" / 6° rise				Scott Pro 1-1/8" / 6° rise				Scott Comp 1-1/8" / 6° rise				Scott Comp 1-1/8" / 6° rise				Scott Comp 1-1/8" / 6° rise				Scott Comp 1-1/8" / 6° rise			
pedal	Shimano PD-M540 Clipless pedal				Shimano PD-M540 Clipless pedal				Shimano PD-M520 Clipless pedal				Shimano PD-M520 Clipless pedal				Shimano PD-M520 Clipless pedal				Shimano PD-M505 Clipless pedal				Shimano PD-M505 Clipless pedal				Shimano PD-M505 Clipless pedal			
seatpost	Ritchey WCS Carbon				Ritchey WCS Carbon				Scott RC 03 6061				Scott RC 03 6061				Scott Comp				Scott Comp				Scott Team				Scott Team			
seat	Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar				Selle Italy SLR XP Kevlar				Scott Racing Cr-Mo				Scott Racing				Scott Racing				Scott Racing				Scott Racing			
hubs	F: Mavic Cross Max Disc CL R: Mavic Cross Max Disc CL				F: DT Swiss Disc / 28H R: DT Swiss 240 S Disc / 28H				F: DT Swiss Disc 28 H / CL R: DT Swiss Disc 28 H / CL				F: Shimano 535 Disc blk / CL R: Shimano 535 Disc blk / CL				F: Shimano 535 Disc blk / CL R: Shimano 535 Disc blk / CL				F: Shimano 495 Disc CL / 32H R: Shimano 495 Disc CL / 32H				F: Scott Disc Comp R: Shimano 475 Disc / 32H				F: Formula C0 31 R: Shimano 511 / 32H			
chain	Shimano CN-HG93				Shimano CN-HG93				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53			
cassette	Shimano XTR M-960 11-32 T				Shimano XTR M-960 11-32 T				Shimano XT M-760 11-32 T				Shimano LX HG580-9 11-32 T				Shimano LX HG580-9 11-32 T				Shimano HG50-9 11-32 T				Shimano HG50-9 11-32 T				Shimano HG50-9 11-32 T			
spokes	Mavic Cross Max Disc CL				DT Swiss Revolution black				DT Swiss new aero black				DT Swiss Champion Black				DT Swiss Champion Black				DT Swiss Champion Black				DT Swiss Champion Black				DT Swiss Champion Black			
rims	Mavic Cross Max Disc CL				Mavic XM-819 UST Disc 28H Black Anodized				Mavic XM-317 Disc 28H Black Anodized				Mavic XM-317 Disc 32H Black Anodized				Alesa Taurus 2000 Disc / 32H W/Eyelet Black				Alesa Taurus 2000 Disc / 32H W/Eyelet Black				Alex DM-18 32H Black / CNC sidewalls				Alex DM-18 32H Black / CNC sidewalls			
tires	Scott OXYD UST tubeless 26 x 2.0 / 120TPI Kevlar Bead dual compound				Scott OXYD UST tubeless 26 x 2.0 / 120TPI Kevlar Bead dual compound				Scott OXYD 26 x 2.0 120TPI Kevlar Bead				Scott OXYD 26 x 2.0 120TPI Kevlar Bead				Scott OXYD 26 x 2.0 60TPI Kevlar Bead				Scott OXYD 26 x 2.0 60TPI Kevlar Bead				Scott OXYD 26 x 2.0 27TPI Wire Bead				Scott OXYD 26 x 2.0 27TPI Wire Bead			



MANUEL FUMIC



size	REFLEX FX 15				REFLEX FX 25				REFLEX FX 35				REFLEX 10				REFLEX 20 DISC				REFLEX 20 V-BRAKE				REFLEX 30 DISC				REFLEX 30 V-BRAKE				REFLEX 40 DISC								
	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XXL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L
frame	New Reflex Fully Genius Technology hydroformed tubing Alloy 6061 D.B.				New Reflex Fully Genius Technology hydroformed tubing Alloy 6061 D.B.				New Reflex Fully Genius Technology hydroformed tubing Alloy 6061 D.B.				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)				Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)								
fork	Rock Shox Tora 318 Air Motion Control Poploc Lockout 100 mm / reb.Adj.				Rock Shox Tora 318 Motion Control Lockout 100 mm / reb. Adj.				Rock Shox Tora 318 Motion Control Lockout 100 mm / reb. Adj.				Rock Shox Tora 318 Motion Control Lockout 100 mm / reb. Adj.				Rock Shox Judy 2 with Lockout 100mm travel / reb. Adj.				Rock Shox Judy 2 with Lockout 100mm travel / reb. Adj.				Rock Shox Judy 2 with Lockout 100mm travel / reb. Adj.				Rock Shox Judy 2 with Lockout 100mm travel / reb. Adj.				Rock Shox Judy 1 100mm travel								
rear shock	Scott LC Lockout / reb.Adj.				Scott LC Lockout / reb.Adj.				Scott LC Lockout / reb.Adj.				-				-				-				-				-												
rear der	Shimano Deore XT 27 Speed RD-M751				Shimano Deore LX 27 Speed RD-M571				Shimano Deore LX 27 Speed RD-M571				Shimano Deore XT 27 Speed RD-M751				Shimano Deore LX 27 Speed RD-M571				Shimano Deore LX 27 Speed RD-M571				Shimano Deore 24 Speed RD-M511				Shimano Deore 24 Speed RD-M511				Shimano Alivio 24 Speed RD-M410								
front der	Shimano LX / E-Type				Shimano LX / E-Type				Shimano LX / E-Type				Deore LX FD-M580				Deore FD-M510				Deore FD-M510				Shimano FD-M410				Shimano FD-M410				Shimano FD-M410								
shifters	Shimano LX 585 Dual control				Shimano Deore 535 Dual Control				Shimano Deore 511 RF-fire plus				Shimano LX 580 Dual control				Shimano Deore 511 RF-fire plus				Shimano Deore 511 RF-fire plus				Shimano Alivio 410 w/gear indicator				Shimano Alivio 410 w/gear indicator				Shimano ST-EF35 EZ-fire plus								
brakelevers	incl.				incl.				Avid FR 5				incl.				Hayes Sole				Scott Comp				Scott Comp				Scott Comp				incl.								
brakes	Shimano Br-M585 Deore LX Disc				Shimano BR-M535 Deore Disc				Avid Single Digit 3				Avid Single Digit 3				Hayes Sole hydraulic				Scott Comp				Shimano BR-M465 mechanical				Scott Comp				Shimano BR-M465 mechanical								
crankset	Shimano FC-M540, black 22x32x44 T				Shimano FC-M470, black 22x32x44 T				Shimano FC-MC440, black 24x34x42 T				Shimano FC-M540, black 22x32x44 T				Shimano FC-MC440, black 24x34x42 T				Shimano FC-MC440, black 24x34x42 T				Shimano Alivio FC-M410, black 24x34x42 T				Shimano Alivio FC-M410, black 24x34x42 T				Shimano Alivio FC-M410, black 24x34x42 T								
BB-Set	Shimano ES-30				Shimano ES-30				Shimano BB-UN-26				BB-ES-30				Shimano BB-UN-26				Shimano BB-UN-26				Shimano BB-UN-26				Shimano BB-UN-26				Shimano BB-UN-26								
handlebar	Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				Scott Comp 1 600mm, black				HL MTB-152 Uprise 620 mm								
h'stem	Scott Comp				Scott Comp				Scott Comp				Scott Comp				Scott Elite				Scott Elite				Scott Elite				Scott Elite				Scott Elite								
pedal	Shimano PD-M520 Clipless pedal				Shimano PD-M505 Clipless pedal				Shimano PD-M505 Clipless pedal				Wellgo LU-998-S				Wellgo LU-998-S				Wellgo LU-998-S				Wellgo LU-998-S				Wellgo LU-998-S				Wellgo LU-998-S								
seatpost	Scott Comp				Scott Team				Scott Team				JD-341Scott Elite				JD-341Scott Elite				JD-341Scott Elite				JD-341Scott Elite				JD-341Scott Elite				JD-341Scott Elite				SP-150				
seat	SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				SCT-10 SL Reflex				
hubs	F. Shimano HB-M535-L R. Shimano FH-M535-L				F. Shimano HB-M495-L R. Shimano FH-M495-L				F. Formula CO-31 R. Shimano FH-M510				F. Formula CO-31 R. Deore FH-510				F. Shimano HB-M495-L R. Shimano FH-M495-L				F. Formula CO-31 R. Deore FH-M510 L				F. Shimano HB-M495-L R. Shimano FH-M495-L				F. Formula CO-31 R. Shimano FH-RM60-8				F. Formula CO-31 R. Shimano FH-M495-L				F. Shimano HB-M495-L R. Shimano FH-M495-L				
chain	Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				KMC Z-72				KMC Z-72				KMC Z-72								
cassette	Shimano CS-HG580-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG580-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-9 11-30T				Shimano CS-HG50-8 11-30T				Shimano CS-HG50-8 11-30T				Shimano CS-HG50-8 11-30T				
spokes	DT-Swiss Champion black				DT-Swiss Champion black				DT-Swiss Champion black				DT-Swiss Champion black				DT-Swiss Champion black				DT-Swiss Champion black				14 G, stainless				14 G, stainless				14 G, stainless								
ribs	Alesa Taurus 2000 Disc W/Eyelet Black				Alesa Taurus 2000 Disc W/Eyelet Black				Alesa ZAC-19 Alloy Black D-Wall-UP				Alesa ZAC-19 Alloy Black D-Wall-UP				Alesa ZAC-19 Alloy Black D-Wall-UP				Alesa ZAC-19 Alloy Black D-Wall-UP				Alesa ZAC-19 Alloy Black D-Wall-UP				Alex DM-18 D-Wall, blk anod.				Alex DM-18 D-Wall, CNC, blk				Alex DM-18 D-Wall, blk anod.				
tires	Scott OXYD 26 x 2.0 60TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				



REFLEX 40 V-BRAKE					REFLEX 50				
XS	S	M	L	XL	XS	S	M	L	XL
Alloy 6061 D.B. hydroformed tubing Reflex geometry new HT (integr.)					Alloy 6061 hydroformed tubing Reflex geometry				
Rock Shox Judy 1 100mm travel					Top Gun SCT 08 E MCU / w preload 75mm travel				
-					-				
Shimano Alivio 24 Speed RD-M410					Shimano Acera 24 Speed RD-M340				
Shimano FD-M410					Shimano FDC-051				
Shimano ST-EF35 EZ-fire plus					Shimano ST-EF50-8R EZ-fire plus				
incl.					incl.				
Scott Comp					Scott Comp				
Shimano Alivio FC-M410, black 24x34x42 T					Shimano FC-TY 33, 28x38x48 T				
Shimano BB-UN-26					Shimano BB-UN-26				
HL MTB-152 Uprise 620 mm					HL MTB-152 Uprise 620 mm				
Scott Elite					TDS-C41-8				
Wellgo LU-998-S					SP-872N				
SP-150					SP-214				
SCT-10 SL Reflex					SCT-10 SL Reflex				
F: Formula CO-31 R: Shimano FH-RM60-8					F: Formula FM-31-FQR. R: Shimano FH-RM30-8				
KMC Z-72					KMC Z-72				
Shimano CS-HG50-8I 11-30T					Shimano CS-HG30-8I 11-30T				
14 G, stainless					14 G, UPC				
Alex DM-18 D-Wall, CNC, blk					Araya GP 710 black				
Scott OXYD 26 x 2.0 27TPI					Scott MANX 26 x 2.0 27TPI				

size	GENIUS CONTESSA FX 15				CONTESSA FX 25				CONTESSA 10				CONTESSA 20				CONTESSA 30				CONTESSA 40				CONTESSA 50			
	S	M	L		S	M	L		XS	S	M	L	XS	S	M	L	XS	S	M	L	XS	S	M	L	XS	S	M	L
frame	New Contessa Fully Genius Technology hydroformed tubing Alloy 6061 D.B.				New Contessa Fully Genius Technology hydroformed tubing Alloy 6061 D.B.				Scott hydroformed tubing Alloy 6061 D.B. Solution geometry				Scott hydroformed tubing Alloy 6061 D.B. Solution geometry				Scott hydroformed tubing Alloy 6061 D.B. Solution geometry				Scott hydroformed tubing Alloy 6061 D.B. Solution geometry				Scott hydroformed tubing Alloy 6061 D.B. Solution geometry			
fork	Fox F 100 RL Lockout ,reb.Adj. 100mm travel				Rock Shox Tora 318 Motion Control Lockout reb. Adj. 100mm travel				Rock Shox Tora 318 softer spring setup Motion Control Lockout reb. Adj. 80mm travel				Rock Shox Judy 2 softer spring setup with Lockout, reb.-Adj. 80mm travel				Rock Shox Judy 2 softer spring setup with Lockout , reb.-Adj. 80mm travel				Rock Shox Judy 1 softer spring setup reb.Adj 80mm travel				Top Gun SCT 08 E MCU / w preload, softer spring setup 75mm travel			
rear shock	Scott TC 3 modus / LO-TC-AT reb. Adj. / remote control				Scott LC Lockout / reb.Adj.				-				-				-				-				-			
rear der	Shimano XT 27 Speed RD-M751				Shimano LX 27 Speed RD-M571				Shimano XT 27 Speed RD-M751				Shimano LX 27 Speed RD-M571				Shimano Deore 24 Speed RD-M511				Shimano Alivio 24 Speed RD-M410				Shimano Acera 24Speed RD-M 340			
front der	Shimano LX / E-Type				Shimano LX / E-Type				Shimano Deore 511				Shimano Deore 511				Shimano FD-M410				Shimano FD-M410				Shimano FDC-051			
shifters	Shimano LX 585 Dual Control				Shimano Deore 535 Dual Control				Shimano Deore 511 RF-fire plus				Shimano Deore 511 RF-fire plus				Shimano Alivio 410				Shimano ST-EF35-8R EZ-fire plus				Shimano ST-EF50-8R EZ-fire plus			
brakelevers	incl.				incl.				Shimano BL-M535 Disc				Scott Pro				Scott Comp				incl.				incl.			
brakes	Shimano BR-M585 Deore LX Disc				Shimano BR-M535 Deore Disc				Shimano BR-M535 Deore Disc				Scott Pro				Scott Comp				Scott Comp				Scott Comp			
crankset	Shimano FC-M540 hollowtech 44x32x22 T				Shimano FC-M470 hollowtech 44x32x22 T				Shimano FC-M470 hollowtech 44x32x22 T				Shimano FC-M460 square black 44x32x22 T				Shimano FC-M410 black 42x32x24 T				Shimano FC-M410 black 42x32x24 T				Shimano FC-TY 33 black with CG 24x34x42Z			
BB-Set	Shimano ES 30				Shimano ES 30				Shimano ES 30				Shimano BB-UN-26				Shimano BB-UN-26				Shimano BB-UN-26				Shimano BB-UN-26			
handlebar	Scott Pilot Contessa 580mm, black				Scott Pilot Contessa 580mm, black				Scott Pilot Contessa 580mm, black				Scott Pilot Contessa 580mm, black				Scott Pilot Contessa 580mm, black				Scott Pilot Contessa 580mm, black				Scott MTB-152 580mm,black			
h'stem	Scott Comp				Scott Comp				Scott Comp				Scott Elite				Scott Elite				Scott Elite				TDS-C41-8			
pedal	Shimano PD-M520 Clipless pedal				Shimano PD-M505 Clipless pedal				Shimano PD-M505 Clipless pedal				Wellgo LU-998-S				Wellgo LU-998-S				Wellgo LU-998-S				SP-872N			
seatpost	Scott Comp				Scott Team				SP - 341				SP - 341				SP - 339				SP-233				SP-214			
seat	Selle Italia SLR XC Gel Flow				Scott Contessa				Scott Contessa				Scott SCT-2				Scott SCT-2				Scott SCT-2				Scott SCT-2			
hubs	F: Shimano LX HB-M585 R: Shimano LX FH-M585				F: Shimano HB-M495-L R: Shimano FH-M495-L				F: Shimano 495 Disc R: Shimano 495 Disc				F: Formula CO-31 R: Shimano Deore FH-510				F: Formula FM-31 R: Shimano FH-MC 18-8				F: Formula FM-31 R: Shimano FH-MC 18-8				F: Formula FM-31 R: Shimano FH-RM30-8			
chain	Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				Shimano CN-HG53				KMC Z72				KMC Z72				KMC Z72			
cassette	Shimano CS-HG580-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-9 11-32 T				Shimano CS-HG50-8I 11-30T				Shimano CS-HG50-8I 11-30T				Shimano CS-HG30-8I 11-30T			
spokes	DT-Swiss Champion black				DT-Swiss Champion black				DT-Swiss Champion black				CN silver				CN silver				CN silver				14 G, UPC			
ribs	Alesa Taurus 2000 Disc W/Eyelet Black				Alesa Taurus 2000 Disc W/Eyelet Black				Alesa Taurus 2000 Disc W/Eyelet Black				Alesa ZAC-19 eyelet Alloy Black D-Wall-UP				Alesa ZAC-19 eyelet Alloy black D-Wall UP				Alex DM-18 D-Wall, CNC, blk				Araya GP 710 silver			
tires	Scott OXYD 26 x 2.0 60TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Scott OXYD 26 x 2.0 27TPI				Ritchey Speed Max			



# PROGRESSIVE

size	HIGH OCTANE		NITROUS 10			NITROUS 20		
	S / M	L / XL	S	M	L	S	M	L
frame	High Octane carbon subframe Freeride DH geometry; ISCG IDS interchangeable Dropout adj.tube for 11/8 and 1.5" 180-240mm travel		Scott Nitrous Alloy 7005 liteflite Freeride geometry; ISCG IDS interchangeable Dropout Headtube 1.5" compatible New 195mm travel			Scott Nitrous Alloy 7005 liteflite Freeride geometry; ISCG IDS interchangeable Dropout Headtube 1.5" compatible New 195mm travel		
fork	Marzocchi 888 VF2 200mm travel Coil oil, SSVF, Reb/Comp adj. air preload, 20mm thru axle		Marzocchi 66 VF2 LT 190mm travel Coil oil, Reb/Comp adj, air preload, 20mm thru axle			Marzocchi 66 VF2 LT 190mm travel Coil oil, Reb/Comp adj, air preload, 20mm thru axle		
rear shock	Fox DHX 4.0 w/adj pro pedal Reb. Adj		Fox DHX 4.0 w/adj pro pedal Reb. Adj			Fox DHX 3.0 pro pedal Reb. adj		
rear der	SRAM X9 9 Speed		SRAM X9 18 Speed			Shimano XT 18 Speed RD-M751		
front der	e13 40 ISCG Chainguide		Shimano Deore LX			Shimano Deore		
shifters	SRAM X9 Trigger Shifter		SRAM X9 Trigger Shifter			Shimano Deore RF-fire SL		
brakelevers	Hayes El Camino Disc		Hayes El Camino Disc			Hayes HFX-9 HD Disc		
brakes	Hayes El Camino Disc 203mm F + R rotor		Hayes El Camino Disc 203mm F + R rotor			Hayes HFX-9 HD Disc 203mm F + R rotor		
crankset	Race Face Diabolus DH 40Tsingle chainring e13 Supercharger bashguard		Truvative Holzfeller double 24x36T chainring/rockguard Shiftguide			Truvative Ruktion double 24x36T chainring/rockguard		
BB-Set	Race Face DH X-Type		Truvative Howitzer			Truvative Howitzer		
handlebar	Scott Pilot FR 1.5 Pro D.B, mid rise, 700mm, black		Scott Pilot FR 1.5 Pro D.B, mid rise, 680mm, black			Scott Pilot FR 1.5 Comp P.G, mid rise, 680mm, black		
h'stem	Marzocchi Handlebar Clamp 62.6mm ext.		Truvative Holzfeller OS 11/8" / 0° rise			Truvative Holzfeller OS 11/8" / 0° rise		
pedal	Shimano PD-M545 Clipless pedal		Shimano PD-M424 Clipless pedal			Wellgo LU-ABD SCT BMX type		
seatpost	Race Face Diabolus		Scott Pilot FR (telescope)			Scott Pilot FR (telescope)		
seat	Scott Progressive 8mm CrMo rails		Scott Progressive 8mm CrMo rails			Scott Progressive 8mm rails		
hubs	F: KT DH 20mm axle 32H R: DT Swiss 440 FR 12mm thru axle 32H/150mm wide		F: KT DH 20mm axle 32H R: DT Swiss 440 FR 12mm thru axle 32H 135mm wide			F: KT DH 20mm axle 32H R: Shimano M-475 / 32H		
chain	SRAM PC-971		SRAM PC-971			Shimano CN-HG53		
cassette	SRAM PG-980 12-26 T		SRAM PG-980 11-32 T			Shimano Deore 11-32 T		
spokes	DT Swiss Champion blk 2mm		DT Swiss Champion blk 2mm			DT Swiss Champion blk 2mm		
rims	Sun MTX Eight Track DH disc only		Mavic EX 325 FR disc rim			Sun Single Track disc only		
tires	Scott Charger FR /DH 26 x 2.5/2.7Wire Bead, 2-ply casing, Dual compound 50a/42a, butyl insert, 60TPI		Scott Charger FR /DH 26 x 2.5 Wire Bead, 2-ply casing, Dual compound 50a/42a, butyl insert, 60TPI			Scott Charger FR /DH 26 x 2.5 Wire Bead, 2-ply casing, Dual compound 50a/42a, butyl insert, 60TPI		



RENE WILDHABER

# voltage

size	VOLTAGE YZ 0 LIMITED		VOLTAGE YZ 0.5		VOLTAGE YZ 0	
	S	L	S	L	S	M
frame	Scott Octagon Timo special Dirt Jump IDS interchangeable Dropout 12mm trough axle		Scott hydroformed octagon 6061 alloy frame Timo special Dirt Jump IDS interchangeable dropout		Scott hydroformed octagon 6061 alloy frame Timo special DJ Disc dropout	
fork	Marzocchi DJ 3 20mm thru axle / preload adj. 80mm travel		Marzocchi Dirt Jam Pro 20mm thru axle / preload adj. 80mm travel		Marzocchi Dirt Jam Comp hydr. damp. 80mm travel	
rear der	SRAM X-9 9 Speed		Shimano XT RD-M751 / 9 Speed		Shimano Deore RD-M511 / 16 Speed	
front der	Truvativ Chainbox		Truvativ Chainbox		Shimano FD-MC 18	
shifters	SRAM X-7 Trigger shifter 9 speed		Shimano Deore SL-M511 / RF-fire plus 9 Speed		Shimano Alivio SL-M410, RF-fire plus w/gear indicator, black	
brakelevers	Hayes HFX-9		Hayes Sole-XC		Scott Comp	
brakes	Hayes HFX-9 hydraulic		Hayes Sole-XC hydraulic		Shimano BR-M495 mechanical	
crankset	Truvative Holzfeller DH AL 38T		Truvative Hussefelt 38 T		Truvativ Hussefelt 24 / 36 with Rock guard	
BB-Set	Truvative Howitzer		Truvative Howitzer		Truvative Howitzer	
handlebar	Scott Pilot FR 2.0 680mm, black 50mm rise		Scott Pilot FR 2.0 680mm, black 50mm rise		Scott Pilot FR 1.5 680mm, black 38mm rise	
h'stem	Truvative Hussefelt black 11/8" / 0°		Truvative Hussefelt black 11/8" / 0°		Truvative Hussefelt black 11/8" / 0°	
pedal	Wellgo B-25 BMX type, CNC alloy		Wellgo LU-987 BMX type, alloy		Wellgo LU-987 BMX type, alloy	
seatpost	JD-495		JD-495		HL SP-150	
seat	Scott Voltage DirtJ 8mm rails		Scott Voltage DirtJ 8mm rails		Scott Voltage DirtJ 8mm rails	
hubs	F: KT DH 20mm axle 32H R: Sun Ringle Lawwill 12mm axle		F: KT DH 20mm axle 32H R: Shimano FH-M475 disc		F: Shimano HB-M495 disc R: Shimano FH-M495 disc	
chain	Simano CN-HG53		Simano CN-HG53		KMC Z-72	
cassette	Shimano Deore CS-HG50-9 12-25 T		Shimano Deore CS-HG50-9 12-25 T		Shimano Alivio CS-HG50-8i 11-30T	
spokes	DT-Swiss Champion black		DT-Swiss Champion black 2.0		DT-Swiss Champion black	
rims	Sun MTX 32H Eight Track black		Sun Singletrack 36H black		Alex DP-20 D-Wall, black	
tires	CST-C-1405P 26x2.1, full black		CST-C-1405P 26x2.1, full black		CST-C-1405P 26x2.1, full black	




size	VOLTAGE YZ 1 DISC					VOLTAGE YZ 1 V-BRAKE					VOLTAGE YZ 2 DISC					VOLTAGE YZ 2 V-BRAKE					VOLTAGE YZ 3 DISC					VOLTAGE YZ 3 V-BRAKE					VOLTAGE YZ 4				
	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL
frame	Scott hydroformed octagon 6061 alloy frame Timo special DJ Disc dropout					Scott hydroformed octagon 6061 alloy frame Timo special DJ Disc dropout					Scott hydroformed octagon 6061 alloy frame Timo special DJ Disc dropout					Scott hydroformed octagon 6061 alloy frame Timo special DJ Disc dropout					Scott hydroformed octagon 6061 alloy frame Timo special Disc dropout					Scott hydroformed octagon 6061 alloy frame Timo special Disc dropout									
fork	Manitou Trace Comp w preload adj 80mm travel					Manitou Trace Comp w preload adj 80mm travel					Suntour XCT-60 w preload 75mm travel					Suntour XCT-60 w preload 75mm travel					Topgun SCT-08 w preload 75mm travel					Topgun SCT-08 w preload 75mm travel					Topgun SCT-08 w/o preload 75mm travel				
rear der	Shimano Alivio,black RD-M410/ 24-Speed					Shimano Alivio,black RD-M410/ 24-Speed					Shimano Alivio,black RD-M410/ 24-Speed					Shimano Alivio,black RD-M410/ 24-Speed					Shimano Acera RD-M 340, 24 speed					Shimano Acera RD-M 340, 24 speed					Shimano Acera RD-M 340, 21 speed				
front der	Shimano Alivio					Shimano Alivio					Shimano Alivio					Shimano Alivio					Shimano FC-050					Shimano FC-050					Shimano FD-C051				
shifters	Shimano Alivio SL-M410, RF-fire plus w/gear indicator, black					Shimano Alivio SL-M410, RF-fire plus w/gear indicator, black					Shimano Acera ST-EF-35-8R 24 speed					Shimano Acera ST-EF-35-8R 24 speed					Shimano ST-EF50-8R EZ-fire plus					Shimano ST-EF50-8R EZ-fire plus					Shimano ST-EF50-7R EZ-fire plus				
brakelevers	Scott Comp					Scott Comp					nil					nil					nil					nil					nil				
brakes	Shimano BR-M465 mechanical					Tektro SCB-C310 110mm arms					Shimano BR-M465 mechanical					Tektro SCB-C310 110mm arms					Shimano BR-M465 mechanical					Tektro SCB-C310 110mm arms					Tektro SCB-C310 110mm arms				
crankset	Shimano Alivio FC-M410, black, 22x32x42 T					Shimano Alivio FC-M410, black, 22x32x42 T					Shimano Acera FC-M341, black, 24x34x42 T					Shimano Acera FC-M341, black, 24x34x42 T					Shimano TY-Series FC-M341, black, 24x34x42 T					Shimano TY-Series FC-TY-70, 24x34x42 T					Shimano TY-Series FC-TY-33, 26x38x48 T				
BB-Set	Shimano BB-UN-26					Shimano BB-UN-26					Shimano BB-UN-26					Shimano BB-UN-26					Shimano BB-UN-26					Shimano BB-UN-26					Shimano BB-UN-26				
handlebar	HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise					HL MTB-152 / Hi-Ten Uprise 600 mm 20mm Rise				
h'stem	Aricle 3D YC-4DF-803 forged BMX type blk, 1-1/8"/10°					Aricle 3D YC-4DF-803 forged BMX type blk, 1-1/8"/10°					HL TDS-C41-8 Ahead D.B-Clamp blk, 1-1/8"/10° or 15° rise					HL TDS-C41-8 Ahead D.B-Clamp blk, 1-1/8"/10° or 15° rise					HL TDS-C41-8 Ahead D.B-Clamp blk, 1-1/8"/10° or 15° rise					HL TDS-C41-8 Ahead D.B-Clamp blk, 1-1/8"/10° or 15° rise					HL TDS-C41-8 Ahead D.B-Clamp blk, 1-1/8"/10° or 15° rise				
pedal	Wellgo LU-987 BMX type, alloy					Wellgo LU-987 BMX type, alloy					Wellgo LU-987 BMX type, alloy					Wellgo LU-987 BMX type, alloy					Xerama SP-102					Xerama SP-102					Xerama SP-400				
seatpost	HL SP-214					HL SP-214					HL SP-214					HL SP-214					HL SP-214					HL SP-214					HL SP-214				
seat	Scott Voltage					Scott Voltage					Scott Voltage					Scott Voltage					Scott Voltage					Scott Voltage					Scott Voltage				
hubs	F: Shimano HB-M495 disc R: Shimano FH-M495 disc					F: Formula CO-31 R: Shimano Alivio RM-30					F: Shimano HB-M495 disc R: Shimano FH-M495 disc					F: Formula FM-31 R: Shimano FH-RM 60-8					F: Shimano HB-M495 disc R: Shimano FH-M495 disc					F: Formula FM-31 R: Shimano FH-RM 30-8					F: Formula FM-31 R: Formula FM-31				
chain	KMC Z-72					KMC Z-72					KMC Z-72					KMC Z-72					KMC UG-50					KMC UG-50					KMC UG-50				
cassette	Shimano Alivio CS-HG50-8I 11-30T					Shimano Alivio CS-HG50-8I 11-30T					Shimano Alivio CS-HG50-8I 11-30T					Shimano Alivio CS-HG50-8I 11-30T					Shimano Alivio CS-HG50-8I 11-30T					Shimano CS-HG30-8I 11-30T					Shimano MF-HG37-7 14-28T				
spokes	14 G, stainless					14 G, stainless					14 G, stainless					14 G, stainless					14 G UCP					14 G UCP					14 G UCP				
ribs	Alex DM-18 D-Wall, blk					Alex DM-18 D-Wall, CNC, blk					Alex DM-18 D-Wall, blk					Alex DM-18 D-Wall, CNC, blk					Araya GP-710 blk					Araya GP-710 blk. CNC silver sidewalls					Araya GP-710 blk. CNC silver sidewalls				
tires	CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black					CST-C-1405P 26x2.1, full black				



TIMO PRITZEL





 find us online:  
[www.scottusa.com](http://www.scottusa.com)

 **SCOTT**



7 613152 122549